DANAVOX GN



Portfolio

Meet all needs with our most intelligent portfolio yet

Organic Hearing™ philosophy

Our Organic Hearing philosophy starts with real people and real listening situations. It is a human-centred approach to developing innovative hearing technology and fit-for-purpose in-clinic solutions.

By using the human brain as our reference for how sound is naturally processed, we can deliver hearing aids that sound natural, feel natural, and help your clients stay connected.

Sounds natural

- Top rated for hearing in noise[1]
- 88% better accuracy in real-time classification and feature engagement[2]
- 80% experience better audibility of the intended talker[3]

Feels natural

- Comfortable all-day wear
- All-weatherproof design
- All-day battery life

Connects naturally

- Made for Bluetooth® Low Energy (LE) Audio and Auracast™ broadcast audio
- Clear, hands-free calls for iPhone, iPad and compatible Android™ devices*
- Wireless accessories to stream high-quality audio and speech

Our human approach to AI

We believe AI should empower people, not replace them. That belief sits at the heart of our unique approach to AI. Inspired by our Organic Hearing philosophy, we use AI to support the brain's natural way of processing sound, delivering the best possible listening experience for each and every hearing aid user.

1 Schumacher & Groth (2025), 2 Compared to closest premium brand. Groth & Cui (2026), 3 Compared to other premium hearing aid brand with DNN denoising, Jespersen & Rubachandran (2026)

* Hands-free calls are compatible with iPhone 11 or later, iPad Pro 12.9-inch (5th generation), iPad Pro 11-inch (3rd generation), iPad Air (4th generation), iPad mini (6th generation), iPad (10th generation) or later, with software updates iOS 15.3 and iPadOS 15.3 or later. Bluetooth LE Audio works with Bluetooth LE Audio works with Danavox Vega, Danavox Astro Pro, Danavox Astro SP, Danavox Astro Core and Danavox Brisa and compatible mobile devices with Bluetooth 5.3 or later.
See compatibility on gnhearing.com/en/products/danavox/compatibility-danavox

Hearing solutions to delight your clients

Premium — Danavox Vega

Custom and RIE styles
Mild to profound hearing loss

NEW



Premium — Danavox Astro Pro

RIE styles
Mild to profound hearing loss



Premium — Danavox Astro SP

BTE styles
Severe to profound hearing loss
Available in the Danavox Astro Pro and Danavox Astro Core families



Premium — Danavox Brisa

Custom, RIE and BTE styles
Mild to profound hearing loss



Advanced — Danavox Barani

Custom, RIE and BTE styles
Mild to profound hearing loss



Essential — Danavox Astro Core, Danavox Anthe Core

Custom, RIE and BTE styles
Mild to profound hearing loss

NEW



Essential — Danavox Klar

Custom, RIE and BTE styles
Mild to profound hearing loss



* Danavox Anthe Core

The power of AI.
The calm of clarity

Danavox Vega brings next-generation AI hearing designed to bring clarity and confidence to the full universe of everyday listening. Powered by intelligent real-time sound sensing, advanced 4-mic beamforming and automatic DNN noise reduction, Danavox Vega helps complex soundscapes fall into clearer balance[1] – so conversations come into focus when it matters most[2].

Best audibility advantage in noise. Proven for lower listening effort[3-4]

Tested in real-world scenarios and preferred over competition

Connect now with Auracast across across the entire family*

RIE colours

Sparkling Silver · Sand · Gold · Bronze · Warm Grey · Graphite · Espresso · Deep Black · Navy Blue · Red

Custom colours

Anthracite · Light Beige · Beige · Medium Brown · Brown · Dark Brown

Charging options



Premium charger
Portable with powerbank
Compatible with the microRIE (CFF 8)



Standard charger
Portable
Compatible with the microRIE (CFF 8)



Desktop charger
Easy-to-use
Compatible with microRIE (CFF 8)









Custom charger
Portable for ITC/ITE
(CFF C)

1. Groth & Cui (2026)
2. Jespersen & Hashem (2026) + Jespersen, Dieu & Rubachandran (2024) + Jespersen & Rubachandran (2026).
3. Jespersen, Heeren & Quilter (2026)
4. Quilter, Heeren & Jespersen (2025))

* Not available for CIC style
** All-day battery on one charge is based on an average use time of 20 hours, streaming 50% of the time
*** Low Power available for the ITC-DWC

For mild to profound hearing loss

Style	Features	Fitting range	Max output/gain°
 **microRIE 60S-DRWC** Rechargeable Available as CROS Transmitter	• Receiver options: MM, LP, MP, HP and UP • All-day battery on one charge** • IP68-rated • Exchangeable mic filters • TapControl with microRIE • Telecoil in 62 • Programmable push button or toggle • CROS: XJ060S-DRWC		**MM**: 115/61 **LP**: 113/56 **MP**: 115/60 **HP**: 120/60 **UP**: 129/71 (Encased)
 **RIE 61-DRW** 312 battery			
 **RIE 62-DRW** 13 battery			
 **ITC-DWC / ITE-DWC** Rechargeable	• Receiver options: MP, HP and UP • Shell options: Half-shell and Full-shell • All-day battery on one charge** • IP68-rated • Programmable push button		**LP: 114/40***** **MP**: 118/50 **HP**: 121/60 **UP**: 130/70
 **ITC-DW** 312 battery	• Receiver options: LP, MP, HP and UP • Shell options: ITC, Half-shell and Full-shell • IP68-rated • Exchangeable mic filters • Programmable push button and optional volume control		**LP**: 113/40 **MP**: 115/50 **HP**: 120/60 **UP**: 128/68
 **CIC non-wireless** 10A battery	• Cabled fitting required • Receiver options: LP, MP and HP • IP68-rated • Optional push button		**LP**: 113/40 **MP**: 115/50 **HP**: 120/60

° ANSI S3.22-2014 / IEC 60118-0:2022 / 2cc coupler

A new dimension of stellar sound and connections

Experience stellar sound with new intelligent solutions that support your natural hearing and connect you to the expanding universe of Auracast.

Preferred for hearing in noise[1]

The smallest AI hearing aid in the world[2]

All-day battery* even when streaming or using Intelligent Focus

Colours

Sand · Gold · Warm Grey · Bronze · Espresso · Sparkling Silver · Graphite · Deep Black · Red · Navy Blue

Charging options



Premium charger
Portable with powerbank
Compatible with the microRIE
(CFF 8)



Standard charger
Portable
Compatible with the microRIE
(CFF 8)






Desktop charger
Easy-to-use
Compatible with the microRIE
(CFF 8)

1. Rated by end-users compared to legacy. Jespersen (2024)
2. GN data on file

* All-day battery on one charge is based on an average use time of 20 hours, streaming 50% of the time

For mild to profound hearing loss

Style	Features	Fitting range	Max output/gain†
 microRIE 60S-DRWC Rechargeable Available as CROS transmitter (XG160S-DRWC)	• TapControl with microRIE • All-day battery on one charge* • Receiver options: MM, LP, MP, HP and UP • Programmable push button or toggle • IP68 certified • Telecoil in 62 • Exchangeable mic filters		MM: 115/61 LP: 113/56 MP: 115/60 HP: 120/60 UP: 129/71
 RIE 61-DRW 312 battery			
 RIE 62-DRW 13 battery			

†ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015



Unlock a universe of powerful sound

Created for severe to profound hearing loss to make an astronomical difference in all dimensions of your clients' lives.

2.7dB SNR improvement with Clear Focus[1]

Best-in-class feedback suppression

The smallest rechargeable Super Power hearing aids yet[2]

Colours

Sparkling Silver · Sand · Gold · Bronze · Warm Grey · Graphite · Espresso · Deep Black · Navy Blue · Red

Charging options





Desktop charger
Easy-to-use
Compatible with the Super Power BTE (CFF 90)

1. For those with severe to profound hearing loss compared to legacy. Jespersen & Skovlund (2025)
2. Compared to leading rechargeable Super Power solutions. GN Proprietary data on file (2025)

* All day battery on one charge is based on 28 hours of use – and 20 hours when streaming 50% of the time

For severe to profound hearing loss

Style	Features	Fitting range	Max output/gain†
 **Super Power 98-DWHC Metal hook** Rechargeable	• All-day battery on one charge* • IP68 rated • TapControl • Programmable push button and toggle • Telecoil • Exchangeable mic filters • Optional plastic hook configurable in FSW		Metal hook: 140/84 Plastic hook: 140/79
 **Super Power 98-DWHC Plastic hook** Rechargeable			

Available in the Danavox Astro Pro and Danavox Astro Core families

†ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015



Discover the future of hearing

Explore the extended range of Danavox Brisa hearing aids. Made for Auracast, top-rated for hearing in noise[1], smaller than ever and packed with our latest technology to help your clients hear and be heard wherever they go.

Industry-best access to surrounding sound[2]

Smallest styles for everyone

Made for Auracast broadcast audio, connecting to all enabled devices

RIE and BTE colours

Sparkling Silver · Sand · Gold · Bronze · Warm Grey · Graphite · Espresso · Deep Black

Custom colours

Anthracite · Light Beige · Beige · Medium Brown · Brown · Dark Brown

Charging options



Premium charger
Portable with powerbank
Compatible with the microRIE
(CFF 8)



Standard charger
Portable
Compatible with the microRIE
(CFF 8)



Desktop charger
Easy-to-use
Compatible with microRIE (CFF 8), 77 BTE (CFF 71), 88 BTE (CFF 80)









Custom charger
Portable
Compatible with ITC/ITE styles
(CFF C)

1. Compared to legacy technology. End-user NPS rating, data on file
2. Groth et al. (2023)

* All-day battery on one charge is based on average use time of 12 hours when streaming 100% of the time across all styles. Battery life can vary by use
** Also compatible with Danavox Brisa rechargeable ITC/ITE
*** Low Power available for the ITC-DWC

For mild to profound hearing loss

Style	Features	Fitting range	Max output gain†
 microRIE 60S-DRWC Rechargeable Available as CROS Transmitter (XF160S-DRWC)	• TapControl with microRIE • All-day battery on one charge* • Receiver options: MM, LP, MP, HP and UP • Programmable push button or toggle • IP68 certified • Telecoil in 62 DRW		MM: 115/53 LP: 114/54 MP: 116/59 HP: 120/63 UP: 130/73
 RIE 61-DRW 312 battery RIE 62-DRW 13 battery			
 BTE 77-DWC Rechargeable Available as CROS Transmitter** (XF177-DWC)	• All-day battery on one charge* • Programmable push button and/or toggle • Optional metal hook for 88-DWC		BTE (open): 127/53 BTE (closed): 128/60 Power BTE (plastic hook): 133/67 Power BTE (metal hook): 133/73
 Power BTE 88-DWC Rechargeable	• Telecoil in BTE 77 and 88 • DAI in BTE 88		
 ITC-DWC / ITE-DWC Rechargeable	• All-day battery on one charge* • Receiver options: LP***, MP, HP and UP • Shell options: ITC, ITE (Half-shell and Full-shell) • Programmable push button • IP68 certified		LP: 114/40*** MP: 118/50 HP: 121/60 UP: 130/70
 ITC-DW 312 battery	• Receiver options: LP, MP, HP and UP • Shell options: ITC, Half-shell and Full-shell • Programmable push button and volume control • IP68 certified		LP: 114/40 MP: 117/50 HP: 120/60 UP: 130/68
 CIC non-wireless 10A battery	• Cabled fitting required • Receiver options: LP, MP and HP • IP68 certified		LP: 114/40 MP: 116/50 HP: 121/60

†ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015

Danavox Barani™

State-of-the-art hearing solutions

These advanced hearing aids give high-quality sound without feedback and seamless connectivity. Your clients can stay fully engaged in life's conversations, even in challenging situations.

Distortion-free sound with an input dynamic range of up to 116 dB SPL[1]

Robustly designed for everyday use

Crystal clear phone calls – whether your clients prefer to stream calls or not

Custom colours

Non-wireless CIC

Light Beige · Beige · Medium Brown · Brown · Dark Brown · Anthracite

ITC & ITE

Light · Beige · Medium Brown · Brown · Dark Brown

RIE and BTE colours

Beige · Light Blonde · Medium Blonde · Dark Brown · Sterling Grey · Black

Charging options



Premium charger
Portable with powerbank
Compatible with RIE 61-DRWC










Desktop charger
Easy-to-use
Compatible with RIE 61-DRWC

1. Groth (2016)

* All-day battery on one charge is based on average use time of 12 hours when streaming 100% of the time across all styles. Battery life can vary by use

** Danavox Anthe

For mild to profound hearing loss

Style	Features	Fitting range	Max output gain†
 RIE 61-DRWC, Rechargeable · RIE 61-DRW, 312 battery · RIE 62-DRW, 13 battery	• All-day battery on one charge* • Receiver options: LP, MP, HP and UP • Programmable push button or toggle • Telecoil & DAI in 62-DRW • IP68 certified		LP: 113/52 MP: 116/58 HP: 120/65 UP: 128/75
 miniBTE 67-DWT, 312 battery	• Programmable push button • Telecoil • IP68 certified		BTE (open): 123/52 BTE (closed): 121/56
 BTE 77-DWT, 13 battery	• Push button and toggle • Telecoil and DAI • IP68 certified		BTE (open): 128/52 BTE (closed): 126/57
 Power BTE 88-DWT, 13 battery · High Power BTE 88-DWHT**, 13 battery	• Push button and toggle • Metal hook for High Power 88-DWHT • Telecoil and DAI • IP68 certified		Power BTE: 134/68 High Power BTE: 134/73
 Super Power BTE 98 DWT**, 675 battery	• Programmable push button and toggle • Telecoil and DAI • IP68 certified		Power: 141/83
 ITC-DW / ITE-DW, 312 /13 battery	• Receiver options: MP, HP and UP • Programmable push button • IP68 certified • Telecoil (optional)		MP: 118/50 HP: 120/60 UP: 129/70
 CIC non-wireless, 10A battery	• Cabled fitting required • Receiver options: LP, MP and HP • IP68 certified		LP: 114/40 MP: 116/50 HP: 121/60

†ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015

Where hearing clarity, small designs and connectivity align

Now extended across new custom styles, Danavox Astro Core makes it easier to match the right fit to the right client while staying within one Danavox family you can recommend with confidence.

Hear clearly throughout the day

Perfect for all-day wear[1]

Extraordinary connectivity options

Colours

Metallic miniRIE colours*

Sand · Gold · Warm Grey · Bronze · Espresso · Sparkling Silver · Graphite · Deep Black · Red · Navy Blue

Moulded RIE colours**

Beige · Medium Blonde · Dark Brown · Sterling Grey · Black

Custom colours

Anthracite · Light Beige · Beige · Medium Brown · Brown · Dark Brown · Blue/red/ Clear shells

Charging options



Premium charger
Portable with powerbank
Compatible with the miniRIE (CFF 9)



Desktop charger
Easy-to-use
Compatible with the miniRIE (CFF 9)









Custom charger
Portable for ITC/ITE
(CFF C)

1. GN Proprietary data on file (2024)

* Available for miniRIE 60
** Available for RIE 61 & RIE 62
*** All-day battery on one charge is based on an average use time of 20 hours, streaming 50% of the time
**** Low Power available for the ITC-DWC

For mild to profound hearing loss

Style	Features	Fitting range	Max output/gain†
 miniRIE 60-DRWC Rechargeable	• All-day battery on one charge*** • Receiver options: LP, MP, HP and UP • Programmable push button or toggle • IP68 certified • Telecoil in 62 • Exchangeable mic filters		LP: 113/56 MP: 115/60 HP: 120/60 UP: 129/71
 RIE 61-DRW 312 battery			
 RIE 62-DRW 13 battery			
 ITE-DWC Rechargeable	• All-day battery on one charge*** • Receiver options: LP****, MP, HP and UP • Shell options: ITC, ITE (Half-shell and Full-shell) • Programmable push button • IP68 certified		LP: 114/40**** MP: 118/50 HP: 121/60 UP: 130/70
 ITC-DW 312 battery	• Receiver options: LP, MP, HP and UP • Shell options: ITC, Half-shell and Full-shell • Programmable push button and volume control • IP68 certified		LP: 114/40 MP: 117/50 HP: 120/60 UP: 130/68
 CIC non-wireless 10A battery	• Cabled fitting required • Receiver options: LP, MP and HP • IP68 certified		LP: 114/40 MP: 116/50 HP: 121/60
Danavox Anthe Core  Super Power 98-DW 675 Battery	• Push button and toggle • Telecoil • IP68-rated • Plastic hook		Super Power BTE: 141/83

†ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015

A solution for every client

Explore this full hearing aid family, which features RIEs, BTEs, customs and more powerful models for challenging hearing needs.

Great audibility all around and a hyphenate sound experience

Easy-to-use controls

Streaming from iPhone, iPad or Android devices

Custom colours

Non-wireless CIC

Light Beige · Beige · Medium Brown · Brown · Dark Brown · Anthracite

ITC & ITE

Light · Beige · Medium Brown · Brown · Dark Brown

RIE and BTE colours

Beige · Light Blonde · Medium Blonde · Dark Brown · Sterling Grey · Black

Charging options










Premium charger
Portable with powerbank
Compatible with RIE 61-DRWC



Desktop charger
Easy-to-use
Compatible with RIE 61-DRWC


* All-day battery on one charge is based on average use time of 12 hours when streaming 100% of the time across all styles. Battery life can vary by use

For mild to profound hearing loss

Style	Features	Fitting range	Max output gain†
 RIE 61-DRWC Rechargeable  RIE 61-DRW 312 battery  RIE 62-DRW 13 battery	• All-day battery on one charge* • Receiver options: LP, MP, HP and UP • Programmable push button or toggle • Telecoil and DAI in 62-DRW • IP68 certified		LP: 113/52 MP: 116/58 HP: 120/65 UP: 128/75
 miniBTE 67-DWT 312 battery	• Programmable push button • Telecoil • IP68 certified		BTE (open): 123/52 BTE (closed): 121/56
 BTE 77-DWT 13 battery	• Push button and toggle • Telecoil and DAI • IP68 certified		BTE (open): 128/52 BTE (closed): 126/57
 Power BTE 88-DWT 13 battery  High Power BTE 88-DWHT** 13 battery	• Push button and toggle • Metal hook for High Power 88-DWHT • Telecoil and DAI • IP68 certified		Power BTE: 134/68 High Power BTE: 134/73
 Super Power BTE 98-DW 675 battery	• Push button and toggle • Telecoil and DAI • IP68 certified		Super Power BTE: 141/83
 ITC-DW / ITE-DW 312 /13 battery	• Receiver options: MP, HP and UP • Programmable push button • IP68 certified • Telecoil (optional)		MP: 118/50 HP: 120/60 UP: 129/70
 CIC non-wireless 10A battery	• Cabled fitting required • Receiver options: LP, MP and HP • IP68 certified		LP: 114/40 MP: 116/50 HP: 121/60

†ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015

Receiver, thin tube and dome overview

	Hearing aids	Receivers	Domes
RIE Styles	Danavox Vega, Danavox Astro Pro, Danavox Astro Core and Danavox Brisa  **Danavox Vega, Danavox Astro Pro and Danavox Brisa** microRIE 60S Rechargeable Danavox Astro Core miniRIE 60 Rechargeable RIE 61 312 battery RIE 62 13 battery	SureFit3 Receivers Available in 5 lengths: 0 to 4  MM* (M&RIE) LP MP HP UP (encased) * MM is only available for Danavox Astro Pro, Danavox Brisa & Danavox Boreal	AllFit domes  Open (XS, S, M, L, XL) Vented (XS, S, M, L, XL) Power (S, M, L, XL) Tulip (S, M) Sleeve** (S, M, L)
	Danavox Barani and Danavox Klar  RIE 61 Rechargeable RIE 61 312 battery RIE 62 13 battery	SureFit2C Receivers Available in 5 lengths: 0 to 4  LP MP HP UP (encased)	
BTE Styles	Danavox Barani, Danavox Klar and Danavox Brisa  BTE 67 BTE 77 BTE 77*** Rechargeable	SureFit3 Thin Tubes Available in 5 lengths: 0 to 4 	
Super Power BTE styles	Danavox Astro SP and Danavox Anthe Core  Super Power BTE 98 Metal hook Rechargeable Super Power BTE 98 Plastic hook Rechargeable Super Power BTE 98 Plastic hook 675 battery	SureFit2C Thin Tubes Available in 5 lengths: -1 to 3 	

* MM is only available for ReSound Sensia, Danavox Vega, Danavox Astro Pro and Danavox Brisa
** Recommended for M&RIE receivers
*** Metal hook option available

Our In-clinic solutions

First to feature NAL-NL3™

BeMore fitting software is the world's first fitting software to feature NAL-NL3[1], allowing for more personalised, data-driven fittings alongside our proprietary fitting protocol Audiogram+.

Aligned receivers and thin tubes

Our receivers and thin tubes are aligned to SureFit 3 across our full range of RIE and BTE hearing aids, so you do not have to work with multiple assortment boxes in your clinic.

AllFit domes

Cover 97% of ear types with our line-up of AllFit domes[1], designed for the best comfort and acoustic performance[1]. Compatible with all hearing aids using SureFit3 and SureFit2 receivers and thin tubes.

Remote hearing assistance and care

Live Assist and Assist services ensure that your clients can get the hearing support from you whenever and wherever they are.

Flexible demo devices

Our new range of demo styles lets you change technology levels easily within 10 seconds[1], so you can let your clients hear and experience the difference advanced sound features make.

Exchangeable mic filters

Reduce up to 40% of service returns with ex-changeable mic filters on all our latest RIE, Super Power BTE, and ITC styles[1]. Replacement is quick, easy, and your clients can even do it at home.



1 GN Proprietary data on file (2025)

Connectivity and accessories

Smartphone app and remote control

Empower your clients to take control



BeMore app



Remote Control

BeMore app
Access to settings at all times using a mobile device

Remote Control
Control at your fingertips

Phone calls

Hands-free calls and streamed audio



Bluetooth® Low Energy (LE) Audio
Connecting hands-free to Bluetooth 5.3 compatible devices*

Hands-free calls for iPhone and iPad
Connecting hands-free to iPhone and iPad devices**

Direct audio streaming
From iPhone, iPad or Android devices

Microphone

Help your clients hear through the noise



Multi-Mic+

Multi-Mic+
Cut through the noise now with the world's first remote mic with Auracast* - now with a replaceable battery

TV

Improve TV time for your clients



TV-Streamer+



TV Streamer 2

TV-Streamer+
For immediate TV speech clarity at their preferred volume. Supports Auracast broadcast audio*

TV Streamer 2
For hearing great TV audio

* Compatible with Danavox Astro Pro, Danavox Astro Core and Danavox Brisa
** Compatible with Danavox Astro Pro, Danavox Astro Core and Danavox Brisa


Connect with Auracast

With Auracast broadcast audio, you can let your clients experience a new world of connectivity in public and at home.



Auracast Assistant

With the new Auracast Assistant for hearing aids*, every phone that is compatible with the latest version of the BeMore app can become an Auracast handler and connect to streams at train stations, airports, museums, places of worship, and more.




Multi-Mic+

Give your clients extra support in situations where they struggle to hear – over distance or in environments with unfavourable acoustics. Multi-Mic+ is offering a -16 dB SNR, which is a 7.7 dB SNR improvement to hearing in noise compared to our leading 4-mic beamformer technology[1].







TV-Streamer+

The TV-Streamer+ gives an improvement of 56% in speech recognition when listening to the TV compared to listening via the TV speakers[1]. The TV-Streamer+ connects easily and supports Auracast to help your clients listen at the volume they prefer.



1 Jespersen et al. (2024)

* GN data on file

Feature overview

NEW

	Premium Danavox Vega				Premium Danavox Astro Pro				Premium Danavox Astro Pro SP				Essential Danavox Astro Core SP	
Features	**XJ9**	**XJ7**	**XJ5**	**XJ4**	**XG9**	**XG7**	**XG5**	**XG4**	**XG9**	**XG7**	**XG5**	**XG4**	**XH4**	**XH3**
Sound Quality	★★★★				★★★★				★★★★				★★☆☆	
WARP bands	★★★★ 17	★★★☆ 14	★★☆☆ 12	★★☆☆ 12	★★★★ 17	★★★☆ 14	★★☆☆ 12	★★☆☆ 12	★★★★ 17	★★★☆ 14	★★☆☆ 12	★★☆☆ 12	★★☆☆ 12	★★☆☆ 12
Environment recognition	★★★★ Environmental Optimiser II	★★★☆ Environmental Optimiser I	★★★☆ Environmental Optimiser I	★★★☆ Environmental Optimiser I	★★★★ Environmental Optimiser II	★★★☆ Environmental Optimiser I	★★★☆ Environmental Optimiser I	★★★☆ Environmental Optimiser I	★★★★ Environmental Optimiser II	★★★☆ Environmental Optimiser I	★★★☆ Environmental Optimiser I	★★★☆ Environmental Optimiser I	★★★☆ Environmental Optimiser I	–
Directionality	★★★★ Intelligent All-Around*	★★★☆ 360 All-Around	★★★☆ All-Access Directionality	★★☆☆ Binaural Directionality III	★★★★ 360 All-Around	★★★☆ All Access Directionality	★★★☆ (All Access Directionality	★★☆☆ Binaural Directionality III	★★★★ 360 All-Around	★★★☆ All Access Directionality	★★★☆ (All Access Directionality	★★☆☆ Binaural Directionality III	★★☆☆ Binaural Directionality III	★☆☆☆ AutoScope Adap-tive Directionality
Speech intelligibility in noise	★★★★ Intelligent Focus* & Clear Focus	★★★☆ Intelligent Focus* & Clear Focus	★★☆☆ Front Focus	★☆☆☆ Ultra Focus	★★★★ Intelligent Focus* & Clear Focus	★★★☆ Front Focus	★★☆☆ Ultra Focus	★☆☆☆ Adaptive Directionality	★★★★ Intelligent Focus* & Clear Focus	★★★☆ Front Focus	★★☆☆ Ultra Focus	★☆☆☆ Adaptive Directionality	★☆☆☆ Adaptive Directionality	★☆☆☆ Adaptive Directionality
Noise reduction	★★★★ 5 settings + Int. Noise Tracker 3 settings	★★★☆ 4 settings + Int. Noise Tracker on/off	★★☆☆ 3 settings	★★☆☆ 2 settings	★★★★ 5 settings	★★★☆ 4 settings	★★☆☆ 3 settings	★★☆☆ 2 settings	★★★★ 5 settings	★★★☆ 4 settings	★★☆☆ 3 settings	★★☆☆ 2 settings	★★☆☆ 2 settings	★☆☆☆ 1 setting
Comfort	★★★★ 3 settings	★★★★ 3 settings	★★★☆ 2 settings	★★★☆ 2 settings	★★★★ 3 settings	★★★★ 3 settings	★★★☆ 2 settings	★★★☆ 2 settings	★★★★ 3 settings	★★★★ 3 settings	★★★☆ 2 settings	★★★☆ 2 settings	★★★☆ 2 settings	★☆☆☆ 1 setting
Feedback management	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★☆ DFS Ultra III
Low frequency boost	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings
Sound shaper	Yes				Yes				Yes				Yes	
Connectivity	★★★★				★★★★									
Direct audio streaming	★★★★ Hands-free calls** and direct streaming for iPhone and iPad.** Connecting hands-free to compatible Bluetooth 5.3 or later devices, including select Android phones				★★★★ Hands-free calls** and direct streaming for iPhone and iPad***. Connecting hands-free to compatible Bluetooth 5.3 or later devices, including select Android phones									
Public connectivity	★★★★ Support Auracast for new broadcast opportunities, Telecoil built into select styles, as well as Multi-Mic+				★★★★ Supports Auracast for new broadcast opportunities, Telecoil built into select styles, as well as Multi-Mic+									
Accessories	★★★★ TV-Streamer+, Multi-Mic+, Remote Control and BeMore app				★★★★ TV-Streamer+, Multi-Mic+, Remote Control & BeMore app***									
Fitting Flexibility	★★★★				★★★☆				★★★☆				★★★☆	
Flexible demo devices	Yes				Yes									
Wireless CROS	★★★★ (Compatible will all RIE styles)				N/A									
Gain handles	17	14	12	12	17	14	12	12	17	14	12	12	12	12
Programs	4				4									
Fitting options	Yes				Yes									

* The DNN noise reduction technology used in the Intelligent All-Around and Intelligent Focus are only available on the Danavox Vega microRIE and Danavox Astro Pro microRIE.
** Hands-free calls are compatible with iPhone 11 or later, iPad Pro 12.9-inch (5th generation), iPad Pro 11-inch (3rd generation), iPad Air (4th generation), iPad mini (6th generation), iPad (10th generation)or later, with software updates iOS 15.3 and iPadOS 15.3 or later. Not for ITC & CIC.
*** Not for CIC.
**** Anthe Core also comes in PPX.

Feature overview


NEW

NEW

	Premium				Premium				Advanced			Essential			Essential			
	Danavox Vega				Danavox Brisa				Danavox Barani			Danavox Astro Core & Danavox Anthe Core****			Danavox Klar			
Features	**XJ9**	**XJ7**	**XJ5**	**XJ4**	**XF9**	**XF7**	**XF5**	**XF4**	**XA9**	**XA7**	**XA5**	**XH4 & XI4**	**XH3 & XI3**	**XH2 & XI2**	**XC4**	**XC3**	**XC2**	**XC1**
Sound Quality	★★★★				★★★★				★★★☆			★★☆☆			★☆☆☆			
WARP bands	★★★★ 17	★★★☆ 14	★★☆☆ 12	★★☆☆ 12	★★★★ 17	★★★☆ 14	★★☆☆ 12	★★☆☆ 12	★★★★ 17	★★★☆ 14	★★☆☆ 12	★★☆☆ 12	★★☆☆ 12	★☆☆☆ 10	★★☆☆ 12	★☆☆☆ 8	★☆☆☆ 6	★☆☆☆ 4
Environment recognition	★★★★ Environmental Optimiser II	★★★☆ Environmental Optimiser I	★★★☆ Environmental Optimiser I	★★★☆ Environmental Optimiser I	★★★★ Environmental Optimizer II	★★★☆ Environmental Optimizer	★★☆☆ Environmental Optimizer		★★★★ Environmental Optimizer II	★★☆☆ Environmental Optimizer		★★★☆ Environmental Optimiser I	–	–				
Directionality	★★★★ Intelligent All-Around*	★★★☆ 360 All-Around	★★★☆ All-Access Directionality	★★☆☆ Binaural Directionality III	★★★★ 360 All-Around	★★★☆ All Access Directionality	★★☆☆ Binaural Directionality III	★☆☆☆ Binaural Directionality	★★☆☆ Binaural Directionality III	★☆☆☆ Binaural Directionality	★☆☆☆ Natural Directionality	★★☆☆ Binaural Directionality III**	★☆☆☆ Soft Switching***	–	★☆☆☆ Natural Directionality	★☆☆☆ MultiScope	★☆☆☆ Adaptive Directionality	★☆☆☆ Natural Directionality
Speech intelligibility in noise	★★★★ Intelligent Focus* & Clear Focus	★★★☆ Intelligent Focus* & Clear Focus	★★☆☆ Front Focus	★☆☆☆ Ultra Focus	★★★★ Front Focus	★★★☆ Ultra Focus	★☆☆☆ Adaptive Directionality	★☆☆☆ Adaptive Directionality	★☆☆☆ Adaptive Directionality	★☆☆☆ Adaptive Directionality	★☆☆☆ Adaptive Directionality	★☆☆☆ AutoScope Adaptive Directionality**	★☆☆☆ AutoScope Adaptive Directionality**	★☆☆☆ Adaptive Directionality**				
Noise reduction	★★★★ 5 settings + Int. Noise Tracker 3 settings	★★★☆ 4 settings + Int. Noise Tracker on/off	★★☆☆ 3 settings	★★☆☆ 2 settings	★★★★ 5 settings	★★★☆ 3 settings	★★☆☆ 2 settings	★☆☆☆ On / Off	★★★★ 5 settings	★★★☆ 3 settings	★★☆☆ 2 settings	★★☆☆ 2 settings	★☆☆☆ 1 setting	★☆☆☆ 1 setting	★☆☆☆ On / Off	★☆☆☆ On / Off	★☆☆☆ On / Off	★☆☆☆ On / Off
Comfort	★★★★ 3 settings	★★★★ 3 settings	★★★☆ 2 settings	★★★☆ 2 settings	★★★★ 3 settings	★★★★ 3 settings	★☆☆☆ On / Off	★☆☆☆ On / Off	★★★★ 3 settings	★★★★ 3 settings	★☆☆☆ On / Off	★★★☆ 2 settings	★☆☆☆ 1 setting	★☆☆☆ 1 setting	★☆☆☆ On / Off			
Feedback management	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III w/Music Mode	★★★★ DFS Ultra III	★★★★ DFS Ultra III	★★★★ DFS Ultra III	★★★★ DFS Ultra III	★★☆☆ DFS Ultra II	★★☆☆ DFS Ultra II	★★☆☆ DFS Ultra II	★★★★ DFS Ultra III w/Music Mode	★★★☆ DFS Ultra III	★★★☆ DFS Ultra III	★★☆☆ DFS Ultra II	★★☆☆ DFS Ultra II	★★☆☆ DFS Ultra II	★★☆☆ DFS Ultra II
Low frequency boost	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★★ 3 settings	★★★☆ 2 settings	★☆☆☆ On / Off	★☆☆☆ On / Off	★★★☆ 3 settings	★★☆☆ 2 settings	★☆☆☆ On / Off	★★★★ 3 settings**	★★★★ 3 settings**	★★★★ 3 settings**	★☆☆☆ On / Off	★☆☆☆ On / Off	★☆☆☆ On / Off	★☆☆☆ On / Off
Sound shaper	Yes				Yes				Yes			Yes			N/A			
Connectivity	★★★★				★★★★				★★★☆			★★★☆			★★☆☆			
Direct audio streaming	★★★★ Hands-free calls** and direct streaming for iPhone and iPad.** Connecting hands-free to compatible Bluetooth 5.3 or later devices, including select Android phones				★★★★ Hands-free calls** and direct streaming for iPhone and iPad.*** Connecting hands-free to compatible Bluetooth 5.3 or later devices with Danavox Brisa, including select Android phones				★☆☆☆ Direct streaming for iPhone, iPad and Android devices			★★★☆ Hands-free calls** and direct streaming for iPhone and iPad.*** Connecting hands-free to compatible Bluetooth 5.3 or later devices, including select Android phones			★☆☆☆ Direct streaming for iPhone, iPad and Android devices			
Public connectivity	★★★★ Support Auracast for new broadcast opportunities, Telecoil built into select styles, as well as Multi-Mic+				★★★★ Future ready with Auracast for new broadcast opportunities, Telecoil built into select styles, and Telecoil in Multi Mic and Multi-Mic+				★★☆☆ Telecoil built into select styles, and Telecoil in Multi Mic			★★★☆ Support Auracast for new broadcast opportunities, Telecoil built into select styles, as well as Multi-Mic+			★★☆☆ Telecoil built into select styles, and Telecoil in Multi Mic			
Accessories	★★★★ TV-Streamer+, Multi-Mic+, Remote Control and BeMore app				★★★★ TV-Streamer+, TV Streamer 2, Multi-Mic+, Multi Mic, Micro Mic, Remote Control, BeMore app***				★★★☆ TV Streamer 2, Multi Mic, Micro Mic, Remote Control, BeMore app			★★★☆ TV-Streamer+, Multi-Mic+, Remote Control & BeMore app***			★★★☆ TV Streamer 2, Multi Mic, Micro Mic, Remote Control, BeMore app			
Fitting Flexibility	★★★★				★★★★				★★★☆			★★★☆			★★★☆			
Flexible demo devices	Yes				N/A				N/A			Yes (only RIEs)			N/A			
Wireless CROS	★★★★ (Compatible will all RIE styles)				★★★★ Compatible with RIE and BTE & ITE-C styles				★★☆☆ Cabled CROS option for BTE77, 88 & 98			N/A			★★☆☆ Cabled CROS option for BTE77, 88 & 98			
Gain handles	17	14	12	12	17	14	12	12	17	14	12	12	12	10	12	8	6	4
Programs	4				4				4			4			4			2
Fitting options	Yes				Yes				Yes			Yes			Yes			No

* The DNN noise reduction technology used in the Intelligent All-Around and Intelligent Focus are only available on the Danavox Vega microRIE and Danavox Astro Pro microRIE.
** Hands-free calls are compatible with iPhone 11 or later, iPad Pro 12.9-inch (5th generation), iPad Pro 11-inch (3rd generation), iPad Air (4th generation), iPad mini (6th generation), iPad (10th generation)or later, with software updates iOS 15.3 and iPadOS 15.3 or later. Not for ITC & CIC.
*** Not for CIC.
**** Anthe Core also comes in PPX.

Nomenclature



Danavox product family

XJ	Vega
XG	Astro Pro and Astro Pro SP
XH	Astro Core and Astro Core SP
XI	Anthe Core
XF	Brisa
XC	Klar
XA	Barani

Technology level

9	Premium level technology
7	Advanced level technology
5	Select level technology
4	Essential plus level technology
3	Essential level technology
2	Entry level technology
1	Entry level technology

Receivers

LP	Low Power
MP	Medium Power
HP	High Power
UP	Ultra Power (encased)
MM	M&RIE (Microphone and Receiver-in-Ear)

Additional

D	Dual microphones
R	Receiver-in-Ear
W	Wireless
C	Rechargeable
T	Telecoil
H	High Power BTE (metal hook)

Form factors

Receiver-in-ear

60s	microRIE (Lithium-ion)
60	miniRIE (Lithium-ion)
61	Standard RIE (312)
62	Standard RIE (13)

Customs

CIC	Completely-in-Canal
ITC	In-the-Canal
ITE	In-the-Ear

Behind-the-ear

67	miniBTE
77	Standard BTE
88	Power BTE
88	High Power BTE (metal hook)
98	Super Power BTE

GN Hearing A/S
Lautrupbjerg 7
DK-2750 Ballerup
Denmark
Tel.: +45 4575 1111
gnhearing.com

© 2026 GN Hearing A/S. All rights reserved.
Danavox is a trademark of GN Hearing A/S.
Apple, the Apple logo, iPhone and iPad are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries. Android, Google Play and the Google Play logo are trademarks of Google LLC. The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. The Auracast word mark and logos are trademarks owned by Bluetooth SIG, Inc. Dolby and the the double-D symbol are registered trademarks of Dolby Laboratories.

M103033GB-26.08-Rev.A