

# Empower your clients





# Welcome more clients with the most intelligent ReSound portfolio yet

## Organic Hearing™ philosophy

Organic Hearing draws inspiration from the natural hearing system and the brain, enabling us to design hearing solutions that perfectly fit the user's life, organically, instead of requiring them to fit their life around their hearing loss.

As a result, we develop technology with people in mind to emulate the natural hearing process, so the brain can hear as nature intended, with solutions designed to sound natural and connect your clients naturally to the world.



### Sounds natural

- Top-rated for hearing in noise<sup>1</sup>
- Industry-best access to surrounding sound<sup>2</sup>
- Natural own voice perception<sup>3</sup>



### Feels natural

- Comfortable all-day wear
- All-weatherproof design
- Rechargeable for all-day use



### Connects naturally

- Crystal clear phone calls
- Hands-free calls for iPhone, iPad and compatible Android™ devices.\*
- Made for Bluetooth® Low Energy (LE) Audio and Auracast™

## Intelligence Augmented™ - a human approach to AI

Drawing from our Organic Hearing philosophy, we focus on enhancing the brain's natural sound processing also with the help of Artificial Intelligence (AI).

AI is already used in our various technologies, underpinned by the belief that AI should empower people rather than replace them, keeping the human brain at the centre of everything we create.

This is what we call Intelligence Augmented. Our unique approach to AI recognises that the human brain is the most effective sound processor, which is why we use technology to support its natural functions. And as AI continues to advance, we remain committed to building on our legacy of AI innovation through Intelligence Augmented.

1. Schumacher & Groth (2025), 2. Cui & Groth (2024), 3. Quilter (2021)

\* Hands-free calls are compatible with iPhone 11 or later, iPad Pro 12.9-inch (5th generation), iPad Pro 11-inch (3rd generation), iPad Air (4th generation), iPad mini (6th generation), iPad (10th generation) or later, with software updates iOS 15.3 and iPadOS 15.3 or later. Bluetooth LE Audio works with ReSound Vivia, ReSound Enzo IA, ReSound Savi and ReSound Nexia and compatible mobile devices with Bluetooth 5.3 or later. See compatibility on [gnhearing.com/products/compatibility](https://gnhearing.com/products/compatibility)

# Hearing solutions to support your clients

|                                          |                                                                    |                                                                                                                                                                                     |                                                                                                                                |                                                                                                                                          |                                                                                                                 |                                                                                                                  |                                                                                                               |                                                                                                             |                                                                                                             |                                                                                                                   |                                                                                                                  |                                                                                                              |                                        |
|------------------------------------------|--------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Premium                                  | <b>RIE styles</b><br>Mild to profound hearing loss                 | <br>microRIE 60S Rechargeable      RIE 61      RIE 62                                            |                                                                                                                                |                                                                                                                                          |                                                                                                                 |                                                                                                                  |                                                                                                               |                                                                                                             |                                                                                                             |                                                                                                                   |                                                                                                                  | ReSound Vivia                                                                                                |                                        |
| Premium                                  | <b>BTE styles</b><br>Severe to profound hearing loss               | <br>Super Power BTE 98 Metal hook Rechargeable      Super Power BTE 98 Plastic hook Rechargeable |                                                                                                                                |                                                                                                                                          |                                                                                                                 |                                                                                                                  |                                                                                                               |                                                                                                             |                                                                                                             |                                                                                                                   |                                                                                                                  | ReSound Enzo IA                                                                                              |                                        |
| Premium                                  | <b>RIE, BTE and custom styles</b><br>Mild to profound hearing loss | <br>CIC Non-wireless                                                                             | <br>ITC Wireless                            | <br>ITC Rechargeable                                  | <br>ITE Rechargeable         | <br>microRIE 60S Rechargeable | <br>RIE 61                 | <br>RIE 62               | <br>BTE 71 Rechargeable  | <br>BTE 77 Rechargeable        | <br>Power BTE 88 Rechargeable | ReSound Nexia                                                                                                |                                        |
| Advanced                                 | <b>RIE, BTE and custom styles</b><br>Mild to profound hearing loss | <br>CIC Non-wireless                                                                            | <br>ITC Rechargeable      ITE Rechargeable |                                                                                                                                          | <br>miniRIE 60 Rechargeable | <br>RIE 61                   | <br>RIE 62                | <br>BTE 71 Rechargeable | <br>BTE 77 Rechargeable | <br>Power BTE 88 Rechargeable |                                                                                                                  | ReSound OMNIA                                                                                                |                                        |
| Advanced                                 | <b>RIE, BTE and custom styles</b><br>Mild to profound hearing loss | <br>CIC Non-wireless                                                                           | <br>ITC Wireless                          | <br>ITE Wireless                                    | <br>RIE 61 Rechargeable    | <br>RIE 61                  | <br>RIE 62               | <br>miniBTE 67         | <br>BTE 77             | <br>Power BTE 88             | <br>High Power BTE 88*      | <br>Super Power BTE 98* | ReSound LiNX Quattro<br>ReSound ENZO Q |
| Essential                                | <b>RIE, BTE and custom styles</b><br>Mild to profound hearing loss | <br>CIC Non-wireless                                                                           | <br>ITC Wireless                          | <br>miniRIE 60 Rechargeable      RIE 61      RIE 62 |                                                                                                                 |                                                                                                                  | <br>Super Power BTE 98** |                                                                                                             | NEW                                                                                                         |                                                                                                                   |                                                                                                                  | ReSound Savi<br>ReSound Enzo Core                                                                            |                                        |
| Essential                                | <b>RIE, BTE and custom styles</b><br>Mild to profound hearing loss | <br>CIC Non-wireless                                                                           | <br>ITC Wireless                          | <br>ITE Wireless                                    | <br>RIE 61 Rechargeable    | <br>RIE 61                  | <br>RIE 62               | <br>miniBTE 67         | <br>BTE 77             | <br>High Power BTE 88        | <br>Super Power BTE 98      |                                                                                                              | ReSound Key                            |
| Receivers, thin tubes and domes overview |                                                                    |                                                                                                                                                                                     |                                                                                                                                |                                                                                                                                          |                                                                                                                 |                                                                                                                  |                                                                                                               |                                                                                                             |                                                                                                             |                                                                                                                   |                                                                                                                  |                                                                                                              |                                        |
| Auracast and streaming                   |                                                                    |                                                                                                                                                                                     |                                                                                                                                |                                                                                                                                          |                                                                                                                 |                                                                                                                  |                                                                                                               |                                                                                                             |                                                                                                             |                                                                                                                   |                                                                                                                  |                                                                                                              |                                        |
| Connectivity and accessories             |                                                                    |                                                                                                                                                                                     |                                                                                                                                |                                                                                                                                          |                                                                                                                 |                                                                                                                  |                                                                                                               |                                                                                                             |                                                                                                             |                                                                                                                   |                                                                                                                  |                                                                                                              |                                        |
| Feature overview                         |                                                                    |                                                                                                                                                                                     |                                                                                                                                |                                                                                                                                          |                                                                                                                 |                                                                                                                  |                                                                                                               |                                                                                                             |                                                                                                             |                                                                                                                   |                                                                                                                  |                                                                                                              |                                        |

\*ReSound ENZO Q

\*\*ReSound Enzo Core



# Intelligent hearing for everyone with three new families

## ReSound Vivia™

Embrace the vividness of life with the world's best for hearing in noise without cutting the user off from the world around them<sup>1-3</sup> and the world's smallest AI hearing aid, without trade-off on battery or comfort.<sup>4</sup>



## ReSound Enzo™ IA

More sound and more power. The smallest rechargeable Super Power hearing aids deliver industry-leading access to surrounding sounds,<sup>5</sup> and are made for hearing in noise to spotlight speech and eliminate distractions.

## ReSound Savi™

Our new Essential family – now with custom styles – gives your clients everything they need, and a little more, by offering best-in-class hearing all around, hearing comfort and Bluetooth connectivity.<sup>6-9</sup>



# New product highlights



### AllFit domes

We're excited to introduce a new lineup of AllFit domes in 19 options, designed for the best comfort and acoustic performance.<sup>10</sup> Now it's easier to tailor each fit to suit diverse needs – to at least 97% of ear types and sizes<sup>8</sup>.



### Flexible demo devices

Sometimes you should let the hearing aids speak for themselves. Our new range of demo styles let you change technology levels easily within 10 seconds, so you can let your clients hear and experience the difference advanced sound features make.



### Exchangeable mic filters

To enable you to extend your in-clinic service offering, we're introducing exchangeable mic filters on all our latest Receiver-in-Ear (RIE), Super Power and ITC-styles\*. With exchangeable mic filters, you can service the hearing aids in-clinic so your clients can continue to enjoy their hearing day after day.



### All-day battery – without compromise

All devices in our new portfolio have all-day battery life, even when streaming, so clients can enjoy great hearing experiences without worrying about running out of power.



### Aligned receivers

We're aligning receivers to SureFit 3 across our full range of RIE hearing aids, so you do not have to work with multiple assortment boxes in your clinic.



### Made for Auracast

Our new ReSound portfolio connects to Bluetooth LE Audio and Auracast broadcast audio, bringing the future of connectivity for all.

1. Schumacher & Groth (2025)  
2. Cui & Groth (2024)  
3. Quilter (2021)

4. GN data on file  
5. Goth et al (2023)  
6. Groth (2016)

7. Sjolander (2019)  
8. Groth & Cui (2023)  
9. GN data on file

10. GN Proprietary data on file (2025)

\* ReSound Vivia, ReSound Savi and ReSound Enzo IA.



# Sound is more vivid than ever

ReSound Vivia makes a world full of noise beautiful, by enhancing our natural hearing processing and ability to focus on what matters. Let your clients embrace the vividness of life with the world's best for hearing in noise (without cutting them off from the world around them) in the smallest AI hearing aid with no trade-off on battery or comfort.<sup>1-4</sup>



World's best for hearing in noise<sup>1-3</sup>



World's smallest AI hearing aid<sup>4</sup>



All-day battery even when streaming or using Intelligent Focus

## Colours



## Charging options



**Premium charger**  
Portable with powerbank  
Compatible with the microRIE (CFF 8)



**Standard charger**  
Portable  
Compatible with the microRIE (CFF 8)



**Desktop charger**  
Easy-to-use  
Compatible with the microRIE (CFF 8)

1 Schumacher & Groth (2025)




2 Cui & Groth (2024)

3 Quilter (2021)

4 GN data on file

\* All-day battery on one charge is based on an average use time of 20 hours, streaming 50% of the time

## For mild to profound hearing loss

| Style                                                                                                                                                                         | Features                                                                                                                                                                                                                                                                                            | Fitting range                                                                        | Max output/gain*                                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
|  <p>microRIE 60S-DRWC<br/>Rechargeable<br/>Available as CROS transmitter (VI160S-DRWC)</p> | <ul style="list-style-type: none"><li>• TapControl with microRIE</li><li>• All-day battery on one charge*</li><li>• Receiver options: MM, LP, MP, HP and UP</li><li>• Programmable push button or toggle</li><li>• IP68 rated</li><li>• Telecoil in 62</li><li>• Exchangeable mic filters</li></ul> |   | MM: 115/61<br>LP: 113/56<br>MP: 115/60<br>HP: 120/60<br>UP: 129/71 (Encased) |
|  <p>RIE 61-DRW<br/>312 battery</p>                                                         |                                                                                                                                                                                                                                                                                                     |   |                                                                              |
|  <p>RIE 62-DRW<br/>13 battery</p>                                                         |                                                                                                                                                                                                                                                                                                     |  |                                                                              |

\*ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015





# More Sound. More Power.


Introducing ReSound Enzo IA, our latest Super Power hearing aids for severe to profound hearing loss. Featuring premium technologies for hearing in noise, all-day battery life without trade-off on functionality, and connectivity with Bluetooth Low Energy (LE) Audio and Auracast broadcast audio. You can have it all.



Made for hearing in noise  
2.7dB SNR improvement  
with Clear Focus<sup>1</sup>



World's best  
feedback  
management<sup>2</sup>



World's smallest  
rechargeable Super Power  
hearing aid<sup>3</sup>

## Colours



## Charging options



**Desktop charger**  
Easy-to-use  
Compatible with the Super Power BTE (CFF 90)



<sup>1</sup> For those with severe to profound hearing loss compared to legacy. Jespersen & Skovlund (2025)

<sup>2</sup> Compared to leading Super Power solutions. Cui & Groth (2025)

<sup>3</sup> Compared to leading rechargeable Super Power solutions. GN Proprietary data on file (2025)

\* All day battery on one charge is based on 28 hours of use – and 20 hours when streaming 50% of the time

## For severe to profound hearing loss

| Style                                                                                                                                      | Features                                                                                                                                                                                                                                                                           | Fitting range                                                                       | Max output/gain <sup>†</sup>                         |
|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------|
| <br>Super Power 98-DWHC<br>Metal hook<br>Rechargeable   | <ul style="list-style-type: none"><li>• All-day battery on one charge*</li><li>• IP68 rated</li><li>• TapControl</li><li>• Programmable push button and toggle</li><li>• Telecoil</li><li>• Exchangeable mic filters</li><li>• Optional plastic hook configurable in FSW</li></ul> |  | Metal hook:<br>140/84<br><br>Plastic hook:<br>140/79 |
| <br>Super Power 98-DWHC<br>Plastic hook<br>Rechargeable |                                                                                                                                                                                                                                                                                    |  |                                                      |

<sup>†</sup>ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015





# Next-era hearing

ReSound Nexia hearing aids give industry-first connectivity with new Bluetooth Low Energy (LE) Audio and Auracast broadcast audio<sup>1</sup>. Top-rated for hearing in noise<sup>2</sup> and available in ultra-small and comfortable styles for nearly all hearing needs.



Industry-best access to surrounding sound<sup>3</sup>



Smallest rechargeable style with microRIE<sup>1</sup>



World's first hearing aids with Bluetooth LE Audio & Auracast broadcast audio

## RIE and BTE colours

## Custom colours

## Charging options



**Premium charger**  
Portable with powerbank  
Compatible with the microRIE (CFF 8)



**Standard charger**  
Portable  
Compatible with the microRIE (CFF 8)



**Desktop charger**  
Easy-to-use  
Compatible with microRIE (CFF 8), 71 BTE (CFF 70), 77 BTE (CFF 70), 88 BTE (CFF 80)



**Custom charger**  
Portable for ITC/ITE (CFF C)

<sup>1</sup> GN data on file

<sup>2</sup> End-user NPS rating data on file

<sup>3</sup> Groth et al. (2023)













\* All-day battery on one charge is based on an average use time of 20 hours, streaming 50% of the time

\*\* Also compatible with ReSound Nexia rechargeable ITC/ITE

\*\*\* Only available for ITC

\*\*\*\* Only available for ITE

## For mild to profound hearing loss

| Style                                                                                                                                                                                                                                                                                                                                                                                                                        | Features                                                                                                                                                                                                                                                                                           | Fitting range                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Max output/gain <sup>†</sup>                                                                                     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
|  <p>microRIE 60S-DRWC<br/>Rechargeable<br/>Available as CROS Transmitter (CX160S-DRWC)</p>                                                                                                                                                                                                                                                | <ul style="list-style-type: none"><li>• TapControl with microRIE</li><li>• All-day battery on one charge*</li><li>• Receiver options: MM, LP, MP, HP and UP</li><li>• Programmable push button or toggle</li><li>• IP68 rated</li><li>• Telecoil in 62</li></ul>                                   |  <p>Frequency (Hz)</p> <p>dB HL</p> <p>MM</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                            | MM: 115/53<br>LP: 114/54<br>MP: 116/59<br>HP: 120/63<br>UP: 130/73 (Encased)                                     |
|  <p>RIE 61-DRW<br/>312 battery</p>  <p>RIE 62-DRW<br/>13 battery</p>                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                    |  <p>Frequency (Hz)</p> <p>dB HL</p>  <p>Frequency (Hz)</p> <p>dB HL</p> <p>LP<br/>MP<br/>HP<br/>UP</p>                                                                                                                                                                                                                                                                                                                |                                                                                                                  |
|  <p>BTE 71-DWC<br/>Rechargeable</p>  <p>BTE 77-DWC<br/>Rechargeable<br/>Available as CROS Transmitter** (CX177-DWC)</p>  <p>Power BTE 88-DWC<br/>Rechargeable</p> | <ul style="list-style-type: none"><li>• All-day battery on one charge*</li><li>• Programmable push button and/or toggle</li><li>• Optional metal hook for 88-DWC</li><li>• IP68 rated</li><li>• Telecoil in BTE 71, 77 and 88</li><li>• DAi in BTE 88</li><li>• Exchangeable mic filters</li></ul> |  <p>Frequency (Hz)</p> <p>dB HL</p> <p>Open<br/>Closed</p>  <p>Frequency (Hz)</p> <p>dB HL</p> <p>Open<br/>Closed</p>  <p>Frequency (Hz)</p> <p>dB HL</p> <p>Open<br/>Closed</p>  <p>Frequency (Hz)</p> <p>dB HL</p> <p>Metal<br/>Plastic</p> | BTE (open): 127/53<br>BTE (closed): 128/60<br>Power BTE (plastic hook): 133/67<br>Power BTE (metal hook): 133/73 |
|  <p>ITC-DWC / ITE-DWC<br/>Rechargeable</p>                                                                                                                                                                                                                                                                                              | <ul style="list-style-type: none"><li>• All-day battery on one charge*</li><li>• Receiver options: LP***, MP, HP and UP</li><li>• Shell options: ITC, Half-shell*** and Full-shell****</li><li>• Programmable push button</li><li>• IP68 rated</li></ul>                                           |  <p>Frequency (Hz)</p> <p>dB HL</p> <p>LP<br/>MP<br/>HP<br/>UP</p>  <p>Frequency (Hz)</p> <p>dB HL</p> <p>HP<br/>UP</p>                                                                                                                                                                                                                                                                                           | LP: 114/40***<br>MP: 118/50<br>HP: 121/60<br>UP: 130/70                                                          |
|  <p>ITC-DW<br/>312 battery</p>                                                                                                                                                                                                                                                                                                          | <ul style="list-style-type: none"><li>• Receiver options: LP, MP, HP and UP</li><li>• Shell options: ITC, Half-shell and Full-shell</li><li>• Programmable push-button and optional volume control</li><li>• IP68 rated</li></ul>                                                                  |  <p>Frequency (Hz)</p> <p>dB HL</p> <p>LP<br/>MP<br/>HP<br/>UP</p>  <p>Frequency (Hz)</p> <p>dB HL</p> <p>HP<br/>UP</p>                                                                                                                                                                                                                                                                                           | LP: 114/40<br>MP: 117/50<br>HP: 120/60<br>UP: 130/68                                                             |
|  <p>CIC non-wireless<br/>10A battery</p>                                                                                                                                                                                                                                                                                                | <ul style="list-style-type: none"><li>• Cabled fitting required</li><li>• Receiver options: LP, MP and HP</li><li>• Optional push button</li><li>• IP68 rated</li></ul>                                                                                                                            |  <p>Frequency (Hz)</p> <p>dB HL</p> <p>LP<br/>MP<br/>HP</p>                                                                                                                                                                                                                                                                                                                                                                                                                                            | LP: 114/40<br>MP: 116/50<br>HP: 121/60                                                                           |

<sup>†</sup>ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015



# Try it. Hear it. Enjoy it.

Can your clients hear their best in noise? Now they can with ReSound OMNIA – the only beamforming in the industry to improve hearing in noise without feeling cut off.<sup>1</sup>



150% improvement to speech understanding in noise with Front Focus<sup>2</sup>



Great wearing comfort



Robust connectivity for uninterrupted streaming

## RIE and BTE colours



## Custom colours



## Charging options



**Premium charger**  
Portable with powerbank  
Compatible with the miniRIE (CFF 6)



**Standard charger**  
Portable  
Compatible with the miniRIE (CFF 6)



**Desktop charger**  
Easy-to-use  
Compatible with miniRIE (CFF 6), 71 BTE (CFF 70), 77 BTE (CFF 70), 88 BTE (CFF 80)

















**Custom charger**  
Portable for ITC/ITE (CFF C)

<sup>1</sup> Jespersen et al (2022), Woodward et al (2022) & Braendgaard M. (2020)  
<sup>2</sup> 4.36 dB SNR improvement compared to legacy products. Jespersen et al (2022)

\* All-day battery on one charge is based on an average use time of 20 hours, streaming 50% of the time  
\*\* Only available for ITC  
\*\*\* Only available for ITE

## For mild to profound hearing loss

| Style                                                                                                                      | Features                                                                                                                                                                                                                                                                          | Fitting range                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Max output/gain <sup>†</sup>                                                                                     |
|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <br>miniRIE 60-DRWC<br>Rechargeable     | <ul style="list-style-type: none"><li>All-day battery on one charge*</li><li>Receiver options: MM, LP, MP, HP and UP</li><li>Programmable push button or toggle</li><li>Telecoil in 62</li><li>IP68 rated</li></ul>                                                               | <br><br>                                                                                                                                                                                                                                                                            | MM: 115/53<br>LP: 113/53<br>MP: 116/58<br>HP: 122/65<br>UP: 130/75 (Encased)                                     |
| <br>RIE 61-DRWC<br>312 battery          |                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                  |
| <br>RIE 62-DRWC<br>13 battery           |                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                  |
| <br>BTE 71-DWC<br>Rechargeable          | <ul style="list-style-type: none"><li>All-day battery on one charge*</li><li>Programmable push button and toggle</li><li>Optional metal hook for 88-DWC</li><li>IP68 rated</li><li>Telecoil in BTE 71, 77 and 88</li><li>DAI in BTE 88</li><li>Exchangeable mic filters</li></ul> | <br><br><br><br><br> | BTE (open): 127/53<br>BTE (closed): 128/60<br>Power BTE (plastic hook): 133/67<br>Power BTE (metal hook): 133/73 |
| <br>BTE 77-DWC<br>Rechargeable        |                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                  |
| <br>Power BTE 88-DWC<br>Rechargeable  |                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                                                                                  |
| <br>ITC-DWC / ITE-DWC<br>Rechargeable | <ul style="list-style-type: none"><li>All-day battery on one charge*</li><li>Receiver options: LP**, MP, HP and UP</li><li>Shell options: ITC, Half-shell*** and Full-shell***</li><li>Programmable push button</li><li>IP68 rated</li></ul>                                      | <br><br><br>                                                                                                                                                                             | LP: 114/40**<br>MP: 118/50<br>HP: 121/60<br>UP: 130/70                                                           |
| <br>CIC non-wireless<br>10A battery   | <ul style="list-style-type: none"><li>Cabled fitting required</li><li>Receiver options: LP, MP and HP</li><li>Optional push button</li><li>IP68 rated</li></ul>                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                         | LP: 114/40<br>MP: 116/50<br>HP: 121/60                                                                           |

<sup>†</sup>ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015



# Hear your world, your way

High performance hearing aids for mild to profound hearing loss in a complete solution that provides high-quality sound from any direction and all the needed gain without feedback.



Distortion-free sound with an input dynamic range of up to 116 dB SPL



Designed for everyday use



Crystal clear phone calls and streaming from iPhone, iPad or Android devices\*

### RIE and BTE colours



Beige



Medium Blonde



Dark Brown



Sterling Grey



Black

### Custom colours

CIC Non-wireless



Light Beige



Beige



Medium Brown



Brown



Dark Brown



Anthracite

ITC and ITE



Light



Beige



Medium Brown



Brown



Dark Brown

### Charging options



**Premium charger**  
Portable with powerbank  
Compatible with RIE 61 (CFF 3)



**Desktop charger**  
Easy-to-use  
Compatible with RIE 61 (CFF 3)

\* Hands-free calls are compatible with iPhone 11 or later, iPad Pro 12.9-inch (5th generation), iPad Pro 11-inch (3rd generation), iPad Air (4th generation), iPad mini (6th generation), iPad (10th generation) or later, with software updates iOS 15.3 and iPadOS 15.3 or later.












\*\* All-day battery on one charge is based on an average use time of 20 hours, streaming 50% of the time

\*\*\* ReSound ENZO Q

\*\*\*\* Only available for ITC

\*\*\*\*\* Only available for ITE

### For mild to profound hearing loss

| Style                                                                                                                                                                                                                                                                                                                                                                                                           | Features                                                                                                                                                                                                                               | Fitting range                                                                                                                                                                                     | Max output/gain¹                                               |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| <div></div> <div>RIE 61-DRWC<br/>Rechargeable</div> <div></div> <div>RIE 61-DRW<br/>312 battery</div> <div></div> <div>RIE 62-DRW<br/>13 battery</div> | <ul style="list-style-type: none"><li>All-day battery on one charge**</li><li>Receiver options: LP, MP, HP and UP</li><li>Programmable push button or toggle</li><li>Telecoil and DAI in 62</li><li>IP68 rated</li></ul>               | <div></div> <div></div>     | LP: 113/52<br>MP: 116/58<br>HP: 120/65<br>UP: 128/75 (Encased) |
| <div></div> <div>miniBTE 67-DWT<br/>312 battery</div>                                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"><li>Programmable push button</li><li>Telecoil</li><li>IP68 rated</li></ul>                                                                                                                           | <div></div>                                                                                                    | BTE (open): 123/52<br>BTE (closed): 121/56                     |
| <div></div> <div>BTE 77-DWT<br/>13 battery</div>                                                                                                                                                                                                                                                                             | <ul style="list-style-type: none"><li>Push button and toggle</li><li>Telecoil and DAI</li><li>IP68 rated</li></ul>                                                                                                                     | <div></div>                                                                                                   | BTE (open): 128/52<br>BTE (closed): 126/57                     |
| <div></div> <div>Power BTE 88-DWT<br/>13 battery</div> <div></div> <div>High Power BTE 88-DWHT***<br/>13 battery</div>                                                                                                                | <ul style="list-style-type: none"><li>Push button and toggle</li><li>Telecoil and DAI</li><li>IP68 rated</li></ul>                                                                                                                     | <div></div> <div></div> | Power BTE: 134/68<br><br>High Power BTE: 134/73                |
| <div></div> <div>Super Power BTE 98-DWT***<br/>675 battery</div>                                                                                                                                                                                                                                                           | <ul style="list-style-type: none"><li>Push button and toggle</li><li>Telecoil and DAI</li><li>IP68 rated</li></ul>                                                                                                                     | <div></div>                                                                                                  | Super Power BTE: 141/83                                        |
| <div></div> <div>ITC-DW / ITE-DW<br/>312 / 13 battery</div>                                                                                                                                                                                                                                                                | <ul style="list-style-type: none"><li>Receiver options: LP****, MP, HP and UP</li><li>Shell options: ITC, Half-shell**** and Full-shell*****</li><li>Programmable push button</li><li>IP68 rated</li><li>Telecoil (optional)</li></ul> | <div></div> <div></div> | LP: 114/40****<br>MP: 118/50<br>HP: 120/60<br>UP: 129/70       |
| <div></div> <div>CIC non-wireless<br/>10A battery</div>                                                                                                                                                                                                                                                                    | <ul style="list-style-type: none"><li>Cabled fitting required</li><li>Receiver options: LP, MP and HP</li><li>Optional push button</li><li>IP68 rated</li></ul>                                                                        | <div></div>                                                                                                  | LP: 114/40<br>MP: 116/50<br>HP: 121/60                         |

ReSound LiNX Quattro  
ReSound ENZO Q

¹ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015



# Clear sound and connectivity for everyone

Deliver best-in-class hearing solutions to even more clients with the extended range of ReSound Savi styles, including new Customs.

Proudly presenting the new lineup of ReSound Savi Customs that deliver best-in-class sound quality, wearing comfort and Bluetooth® connectivity.



Hear your everyday with ease



Best wearing comfort in tiny designs<sup>1</sup>



Clearest Bluetooth<sup>2</sup> experience ever

## Colours

Shimmering miniRIE colours\*



Sparkling Silver Sand Bronze Espresso Deep Black

Matte RIE colours\*\*



Beige Medium Blonde Dark Brown Sterling Grey Black

Custom colours



Anthracite Light Beige Beige Medium Brown Brown Dark Brown Blue/red/Clear shells

ReSound Enzo Core colours



Sterling Grey Beige Medium Blonde Dark Brown Black

## Charging options



**Premium charger**  
Portable with powerbank  
Compatible with the miniRIE (CFF 9)



**Desktop charger**  
Easy-to-use  
Compatible with the miniRIE (CFF 9)

<sup>1</sup> GN data on file








<sup>2</sup> Bluetooth SIG

\* Available for miniRIE 60

\*\* Available for RIE 61 & RIE 62

\*\*\* All-day battery on one charge is based on an average use time of 20 hours, streaming 50% of the time.

## For mild to profound hearing loss

| Style                                                                                                                     | Features                                                                                                                                                                                                                                                            | Fitting range                                                                                                                                                           | Max output/gain <sup>†</sup>                                   |
|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| <br>miniRIE 60-DRWC<br>Rechargeable    | <ul style="list-style-type: none"><li>All-day battery on one charge***</li><li>Receiver options: LP, MP, HP and UP</li><li>Programmable push button or toggle</li><li>IP68 rated</li><li>Telecoil in 62</li><li>Bluetooth LE Audio &amp; Auracast</li></ul>         |                                                                                      | LP: 113/56<br>MP: 115/60<br>HP: 120/60<br>UP: 129/71 (Encased) |
| <br>RIE 61-DRW<br>312 battery          |                                                                                                                                                                                                                                                                     |                                                                                      |                                                                |
| <br>RIE 62-DRW<br>13 battery           |                                                                                                                                                                                                                                                                     |                                                                                      |                                                                |
| <br>ITC-DW<br>312 battery              | <ul style="list-style-type: none"><li>Receiver options: LP, MP, HP and UP</li><li>Shell options: ITC, Half-shell and Full-shell</li><li>Programmable push-button and optional volume control</li><li>IP68 rated</li><li>Bluetooth LE Audio &amp; Auracast</li></ul> |   | LP: 113/40<br>MP: 115/50<br>HP: 120/60<br>UP: 128/68           |
| <br>CIC non-wireless<br>10A battery  | <ul style="list-style-type: none"><li>Cabled fitting required</li><li>Receiver options: LP, MP and HP</li><li>Optional push button</li><li>IP68 rated</li></ul>                                                                                                     |                                                                                     | LP: 113/40<br>MP: 115/50<br>HP: 120/60                         |
| <br>Super Power 98-DW<br>675 Battery | <ul style="list-style-type: none"><li>Push button and toggle</li><li>Telecoil</li><li>IP68 rated</li></ul>                                                                                                                                                          |                                                                                    | Super Power BTE: 141/83                                        |

<sup>†</sup> RIE: ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015  
CIC, ITC, Super Power 98: ANSI S3.22-2014, IEC 60118-0:2022



ReSound Savi  
ReSound Enzo Core



# Everyone deserves great hearing


ReSound Key will accompany your clients with what they need on their path to better hearing. They can enjoy clear, natural sound quality and the confidence to join in conversations effortlessly.



Great audibility all-around and a distortion free sound experience



Easy hearing control on the hearing aids



Streaming from iPhone, iPad or Android devices

### RIE and BTE colours



Beige



Medium Blonde



Dark Brown



Sterling Grey



Black

### Custom colours

CIC Non-wireless



Light Beige



Beige



Medium Brown



Brown



Dark Brown



Anthracite

ITC and ITE



Light



Beige



Medium Brown



Brown



Dark Brown

### Charging options













**Premium charger**  
Portable with powerbank  
Compatible with RIE 61 (CFF 3)



**Desktop charger**  
Easy-to-use  
Compatible with RIE 61 (CFF 3)

\* All-day battery on one charge is based on an average use time of 20 hours, streaming 50% of the time  
\*\* Only available for ITC  
\*\*\* Only available for ITE

### For mild to profound hearing loss

| Style                                                                                                                                                                                                                                                                                                                                                              | Features                                                                                                                                                                                                                   | Fitting range                                                                                                                                                                                                                                        | Max output/gain¹                                               |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
|  <p>RIE 61-DRWC<br/>Rechargeable</p>  <p>RIE 61-DRW<br/>312 battery</p>  <p>RIE 62-DRW<br/>13 battery</p> | <ul style="list-style-type: none"><li>All-day battery on one charge*</li><li>Receiver options: LP, MP, HP and UP</li><li>Programmable push button or toggle</li><li>Telecoil and DAI in 62</li><li>IP68 rated</li></ul>    |   <p>Legend: LP (black), MP (dark grey), HP (medium grey), UP (light grey)</p> | LP: 113/52<br>MP: 116/58<br>HP: 120/65<br>UP: 128/75 (Encased) |
|  <p>miniBTE 67-DW<br/>312 battery</p>                                                                                                                                                                                                                                           | <ul style="list-style-type: none"><li>Programmable push button</li><li>Telecoil</li><li>IP68 rated</li></ul>                                                                                                               |  <p>Legend: Open (black), Closed (dark grey)</p>                                                                                                                  | BTE (open): 123/52<br>BTE (closed): 121/56                     |
|  <p>BTE 77-DW<br/>13 battery</p>                                                                                                                                                                                                                                               | <ul style="list-style-type: none"><li>Push button and toggle</li><li>Telecoil and DAI</li><li>IP68 rated</li></ul>                                                                                                         |  <p>Legend: Open (black), Closed (dark grey)</p>                                                                                                                 | BTE (open): 128/52<br>BTE (closed): 126/57                     |
|  <p>Power BTE 88-DWH<br/>13 battery</p>                                                                                                                                                                                                                                       | <ul style="list-style-type: none"><li>Push button and toggle</li><li>Telecoil and DAI</li><li>IP68 rated</li></ul>                                                                                                         |  <p>Legend: Open (black), Closed (dark grey)</p>                                                                                                                | Power BTE: 134/73                                              |
|  <p>Super Power BTE 98-DW<br/>675 battery</p>                                                                                                                                                                                                                                 | <ul style="list-style-type: none"><li>Push button and toggle</li><li>Telecoil and DAI</li><li>IP68 rated</li></ul>                                                                                                         |  <p>Legend: Open (black), Closed (dark grey)</p>                                                                                                                | Super Power BTE: 141/83                                        |
|  <p>ITC-DW / ITE-DW<br/>312/13 battery</p>                                                                                                                                                                                                                                    | <ul style="list-style-type: none"><li>Receiver options: MP, HP and UP</li><li>Shell options: ITC, Half-shell** and Full-shell***</li><li>Programmable push button</li><li>IP68 rated</li><li>Telecoil (optional)</li></ul> |   <p>Legend: MP (black), HP (dark grey), UP (light grey)</p>               | MP: 118/50<br>HP: 120/60<br>UP: 129/70                         |
|  <p>CIC non-wireless<br/>10A battery</p>                                                                                                                                                                                                                                      | <ul style="list-style-type: none"><li>Cabled fitting required</li><li>Receiver options: LP, MP and HP</li><li>Optional push button</li><li>IP68 rated</li></ul>                                                            |  <p>Legend: LP (black), MP (dark grey), HP (medium grey)</p>                                                                                                    | LP: 114/40<br>MP: 116/50<br>HP: 121/60                         |

¹ANSI S3.22-2014, IEC 60118-0:2015, JIS C 5512: 2015







# Connectivity and accessories

Smartphone app and Remote Control

Empower your clients to take control



ReSound Smart 3D app




ReSound Remote Control

**ReSound Smart 3D™ app**  
Access to settings at all times using a mobile device

**ReSound Remote Control**  
Control at your fingertips

Phone calls

Hands-free calls and streamed audio



**Bluetooth Low Energy Audio**  
Connecting hands-free to Bluetooth 5.3 compatible devices\*

**Hands-free calls for iPhone and iPad**  
Connecting hands-free to iPhone and iPad devices\*\*

**Direct audio streaming**  
From iPhone, iPad or Android devices

Multi-Mic+

Help your clients hear through the noise



ReSound Multi-Mic+

**ReSound Multi-Mic+**  
Cut through the noise now with the world's first remote mic with Auracast\*

TV

Improve TV time for your clients



ReSound TV-Streamer+



ReSound TV Streamer 2

**ReSound TV-Streamer+**  
For immediate TV speech clarity at their preferred volume. Supports Auracast broadcast audio\*

**ReSound TV Streamer 2**  
For hearing great TV audio

\* Compatible with ReSound Vivia, ReSound Enzo IA, ReSound Enzo Core, ReSound Savi and ReSound Nexia (except CIC styles)  
\*\* Compatible with ReSound Vivia, ReSound Enzo IA, ReSound Savi, ReSound Nexia and ReSound OMNIA (except CIC styles)

# More convenience with MultiConnect

Seamlessly switch between devices with MultiConnect. Pair your hearing aids to two smart devices simultaneously for uninterrupted streaming without having to reconnect – such as taking a phone call while streaming music or movie audio from a laptop.\*



\* Works with ReSound Vivia microRIE and ReSound Enzo IA




# Made for Auracast

With Auracast broadcast audio, you can let your clients experience a new world of connectivity in public and at home.



## Auracast Assistant

With the world’s first Auracast Assistant for hearing aids\*, every phone that is compatible with the latest version of the ReSound Smart 3D app can become an Auracast handler and connect to streams at train stations, airports, museums, places of worship, and more.



## Multi-Mic+

Give your clients extra support in situations where they struggle to hear – over distance or in environments with unfavourable acoustics. Offering a -16dB SNR, which is a 7.7dB SNR improvement to hearing in noise compared to our leading 4-mic beamformer technology<sup>1</sup>.



## TV-Streamer+

The TV-Streamer+ gives an improvement of 56% in speech recognition when listening to the TV compared to listening via the TV speakers<sup>1</sup>. The TV-Streamer+ connects easily and supports Auracast to help your clients listen at the volume they prefer.



# Feature overview

| Features                                                                                                            | Description                                                                                                                                                                                                                |
|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sound Quality                                                                                                       |                                                                                                                                                                                                                            |
|  WARP bands                      | Replicates the way the ear divides sound into distinct pitches to create a natural and clear sound picture.                                                                                                                |
|  Environment recognition         | Automatically adjusts the volume and the amount of noise reduction based on the environment for a comfortable hearing experience.                                                                                          |
|  Directionality                  | Binaural hearing strategy uses real time information about the listening environment to switch between different sound settings automatically for better hearing with less effort in all daily life situations.            |
|  Speech intelligibility in noise | Forms a stronger directional pattern using the sound from both hearing aids, helping to hear through the noise to enjoy the best 1:1 hearing experience.                                                                   |
|  Noise reduction                 | Reduces disturbing background noise without affecting speech audibility and listening comfort even when moving through rapidly changing sound environments.                                                                |
|  Comfort                         | Reduces low level noise in very noisy environments. Quickly detects and reduces amplification for sudden, brief loud noises and reduces wind noise without lowering gain for other sounds.                                 |
|  Feedback management             | Reduces unwanted feedback in nearly any situation without compromising gain, while ensuring that music is correctly identified and not lowered.                                                                            |
|  Low frequency boost             | Optimises loudness for users with severe and profound hearing loss. Boosts the listening experience with a louder, fuller sound quality when needed.                                                                       |
|  Sound shaper                  | Improves audibility of speech cues that would otherwise be lost while maintaining best possible sound quality.                                                                                                             |
| Connectivity                                                                                                        |                                                                                                                                                                                                                            |
|  Direct audio streaming        | Enjoy the convenience of streaming audio directly from an iPhone, iPad or Android device in everyday situations like listening to music or taking a call.                                                                  |
|  Public connectivity           | Participate in public gatherings via built-in Telecoil or Auracast broadcast audio.                                                                                                                                        |
|  Accessories                   | Wireless accessories to support in challenging listening situations in 1:1 or group settings. Provide audio streaming from devices including TVs and PCs.                                                                  |
| Fitting Flexibility                                                                                                 |                                                                                                                                                                                                                            |
|  Flexible demo devices         | Showcase and switch between different technology levels to allow clients to experience the benefit of different features.                                                                                                  |
|  Wireless CROS                 | CROS (Contralateral Routing of Signals) and BiCROS (Bilateral Contralateral Routing of Signals) transmit sounds from the CROS device to the other hearing aid for significant improvements in sound audibility all around. |
|  Gain handles                  | Shape the frequency response and change the compression ratios at discrete frequencies.                                                                                                                                    |
|  Programs                      | Preset hearing profiles that allows for greater control of your clients' hearing in different situations.                                                                                                                  |
|  Fitting options               | Synchronized Acceptance Manager, Tinnitus Sound Generator, Datalogging, In-situ Audiometry.                                                                                                                                |
|  Bimodal compatibility         | Together with Cochlear™, ReSound offers a smart bimodal solution that ensures users can control their settings and stream audio directly to both ears from compatible iOS and Android devices.                             |

For a detailed feature overview across styles, please refer to the data sheets.

<sup>1</sup> Jespersen et al. (2024)      \* GN data on file



Feature overview



| Features                        | Premium                                                                                                                                                                                                       |                                      |                                      |                                        | Premium                                                                                                                                                                                                                                              |                                      |                                      |                                        |                                              | Essential                                                                                                                                                                    |                                                |                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--------------------------------------|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|--------------------------------------|----------------------------------------|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|---------------------------------------|
|                                 | ReSound Vivia                                                                                                                                                                                                 |                                      |                                      |                                        | ReSound Enzo IA                                                                                                                                                                                                                                      |                                      |                                      |                                        |                                              | ReSound Savi & ReSound Enzo Core                                                                                                                                             |                                                |                                       |
|                                 | VI9                                                                                                                                                                                                           | VI7                                  | VI5                                  | VI4                                    | EI9                                                                                                                                                                                                                                                  | EI7                                  | EI5                                  | EI4                                    | EI3                                          | SA4/EC4                                                                                                                                                                      | SA3/EC3                                        | SA2/EC2                               |
| Sound Quality                   | ★★★★                                                                                                                                                                                                          |                                      |                                      |                                        | ★★★★                                                                                                                                                                                                                                                 |                                      |                                      |                                        |                                              | ★★☆☆                                                                                                                                                                         |                                                |                                       |
| WARP bands                      | ★★★★<br>17                                                                                                                                                                                                    | ★★★☆☆<br>14                          | ★★★☆☆<br>12                          | ★★★☆☆<br>12                            | ★★★★<br>17                                                                                                                                                                                                                                           | ★★★☆☆<br>14                          | ★★★☆☆<br>12                          | ★★★☆☆<br>12                            | ★★★☆☆<br>12                                  | ★★★☆☆<br>12                                                                                                                                                                  | ★★★☆☆<br>12                                    | ★★★☆☆<br>10                           |
| Environment recognition         | ★★★★<br>(Environmental Optimiser II)                                                                                                                                                                          | ★★★☆☆<br>(Environmental Optimiser I) | ★★★☆☆<br>(Environmental Optimiser I) | ★★★☆☆<br>(Environmental Optimiser I)   | ★★★★<br>(Environmental Optimiser II)                                                                                                                                                                                                                 | ★★★☆☆<br>(Environmental Optimiser I) | ★★★★<br>(Environmental Optimiser I)  | ★★★☆☆<br>(Environmental Optimiser I)   | –                                            | ★★★☆☆<br>(Environmental Optimiser I)                                                                                                                                         | –                                              | –                                     |
| Directionality                  | ★★★★<br>(360 All-Around)                                                                                                                                                                                      | ★★★☆☆<br>(All Access Directionality) | ★★★☆☆<br>(All Access Directionality) | ★★★☆☆<br>(Binaural Directionality III) | ★★★★<br>(360 All-Around)                                                                                                                                                                                                                             | ★★★☆☆<br>(All Access Directionality) | ★★★★<br>(All Access Directionality)  | ★★★☆☆<br>(Binaural Directionality III) | ★★★☆☆<br>(AutoScope Adaptive Directionality) | ★★★☆☆<br>(Binaural Directionality III)**                                                                                                                                     | ★★★☆☆<br>(Soft Switching)***                   | ★★★☆☆<br>(Soft Switching)***          |
| Speech intelligibility in noise | ★★★★<br>(Intelligent Focus* & Clear Focus)                                                                                                                                                                    | ★★★☆☆<br>(Front Focus)               | ★★★☆☆<br>(Ultra Focus)               | ★★★☆☆<br>(Adaptive Directionality)     | ★★★★<br>(Clear Focus)                                                                                                                                                                                                                                | ★★★☆☆<br>(Front Focus)               | ★★★☆☆<br>(Ultra Focus)               | ★★★☆☆<br>(Adaptive Directionality)     | ★★★☆☆<br>(Adaptive Directionality)           | ★★★☆☆<br>(AutoScope Adaptive Directionality)**                                                                                                                               | ★★★☆☆<br>(AutoScope Adaptive Directionality)** | ★★★☆☆<br>(Adaptive Directionality)*** |
| Noise reduction                 | ★★★★<br>(5 settings)                                                                                                                                                                                          | ★★★☆☆<br>(4 settings)                | ★★★☆☆<br>(3 settings)                | ★★★☆☆<br>(2 settings)                  | ★★★★<br>(5 settings)                                                                                                                                                                                                                                 | ★★★☆☆<br>(4 settings)                | ★★★☆☆<br>(3 settings)                | ★★★☆☆<br>(2 settings)                  | ★★★☆☆<br>(1 setting)                         | ★★★☆☆<br>(2 settings)                                                                                                                                                        | ★★★☆☆<br>(1 setting)                           | ★★★☆☆<br>(1 setting)                  |
| Comfort                         | ★★★★<br>(3 settings)                                                                                                                                                                                          | ★★★★<br>(3 settings)                 | ★★★☆☆<br>(2 settings)                | ★★★☆☆<br>(2 settings)                  | ★★★★<br>(3 settings)                                                                                                                                                                                                                                 | ★★★★<br>(3 settings)                 | ★★★☆☆<br>(2 settings)                | ★★★☆☆<br>(2 settings)                  | ★★★☆☆<br>(1 setting)                         | ★★★☆☆<br>(2 settings)                                                                                                                                                        | ★★★☆☆<br>(1 setting)                           | ★★★☆☆<br>(1 setting)                  |
| Feedback management             | ★★★★<br>(DFS Ultra III w/Music Mode)                                                                                                                                                                          | ★★★★<br>(DFS Ultra III w/Music Mode) | ★★★★<br>(DFS Ultra III w/Music Mode) | ★★★★<br>(DFS Ultra III w/Music Mode)   | ★★★★<br>(DFS Ultra III w/Music Mode)                                                                                                                                                                                                                 | ★★★★<br>(DFS Ultra III w/Music Mode) | ★★★★<br>(DFS Ultra III w/Music Mode) | ★★★★<br>(DFS Ultra III w/Music Mode)   | ★★★☆☆<br>(DFS Ultra III)                     | ★★★★<br>(DFS Ultra III w/Music Mode)                                                                                                                                         | ★★★☆☆<br>(DFS Ultra III)                       | ★★★☆☆<br>(DFS Ultra III)              |
| Low frequency boost             | ★★★★<br>(3 settings)                                                                                                                                                                                          | ★★★★<br>(3 settings)                 | ★★★★<br>(3 settings)                 | ★★★★<br>(3 settings)                   | ★★★★<br>(3 settings)                                                                                                                                                                                                                                 | ★★★★<br>(3 settings)                 | ★★★★<br>(3 settings)                 | ★★★★<br>(3 settings)                   | ★★★★<br>(3 settings)                         | ★★★★<br>(3 settings)***                                                                                                                                                      | ★★★★<br>(3 settings)***                        | ★★★★<br>(3 settings)***               |
| Sound shaper                    | Yes                                                                                                                                                                                                           |                                      |                                      |                                        | Yes                                                                                                                                                                                                                                                  |                                      |                                      |                                        |                                              | Yes                                                                                                                                                                          |                                                |                                       |
| Connectivity                    | ★★★★                                                                                                                                                                                                          |                                      |                                      |                                        | ★★★★                                                                                                                                                                                                                                                 |                                      |                                      |                                        |                                              | ★★★☆☆                                                                                                                                                                        |                                                |                                       |
| Direct audio streaming          | ★★★★<br>Hands-free calls and direct streaming for iPhone and iPad. Connecting hands-free to compatible Bluetooth 5.3 or later devices, including select Android phones                                        |                                      |                                      |                                        | ★★★★<br>Hands-free calls and direct streaming for iPhone and iPad. Connecting hands-free to compatible Bluetooth 5.3 or later devices, including select Android phones                                                                               |                                      |                                      |                                        |                                              | ★★★☆☆<br>Direct streaming for iPhone and iPad*** and Hands-free calls**. Connecting hands-free to compatible Bluetooth 5.3 or later devices, including select Android phones |                                                |                                       |
| Public connectivity             | ★★★★<br>Supports Auracast for new broadcast opportunities, Telecoil built into select styles, as well as Multi-Mic+                                                                                           |                                      |                                      |                                        | ★★★★<br>Supports Auracast for new broadcast opportunities, Telecoil built into select styles, as well as Multi-Mic+                                                                                                                                  |                                      |                                      |                                        |                                              | ★★★☆☆<br>Supports Auracast for new broadcast opportunities.**** Telecoil built in select styles (and in Multi-Mic+)                                                          |                                                |                                       |
| Accessories                     | ★★★★<br>TV-Streamer+, Multi-Mic+, Remote Control & ReSound Smart 3D App                                                                                                                                       |                                      |                                      |                                        | ★★★★<br>TV-Streamer+, Multi-Mic+, Remote Control & ReSound Smart 3D App                                                                                                                                                                              |                                      |                                      |                                        |                                              | ★★★☆☆<br>Multi-Mic+ and TV Streamer+ (only RIEs and ITC). Remote Control, TV Streamer 2 and ReSound Smart 3D App***                                                          |                                                |                                       |
| Fitting Flexibility             | ★★★★                                                                                                                                                                                                          |                                      |                                      |                                        | ★★★☆☆                                                                                                                                                                                                                                                |                                      |                                      |                                        |                                              | ★★★☆☆                                                                                                                                                                        |                                                |                                       |
| Flexible demo devices           | Yes                                                                                                                                                                                                           |                                      |                                      |                                        | Yes                                                                                                                                                                                                                                                  |                                      |                                      |                                        |                                              | Yes (only RIEs)                                                                                                                                                              |                                                |                                       |
| Wireless CROS                   | ★★★★<br>(Compatible will all RIE styles)                                                                                                                                                                      |                                      |                                      |                                        | N/A                                                                                                                                                                                                                                                  |                                      |                                      |                                        |                                              | N/A                                                                                                                                                                          |                                                |                                       |
| Gain handles                    | 17                                                                                                                                                                                                            | 14                                   | 12                                   | 12                                     | 17                                                                                                                                                                                                                                                   | 14                                   | 12                                   | 12                                     | 12                                           | 12                                                                                                                                                                           | 12                                             | 10                                    |
| Programs                        | 4                                                                                                                                                                                                             |                                      |                                      |                                        | 4                                                                                                                                                                                                                                                    |                                      |                                      |                                        |                                              | 4                                                                                                                                                                            |                                                |                                       |
| Fitting options                 | Yes                                                                                                                                                                                                           |                                      |                                      |                                        | Yes                                                                                                                                                                                                                                                  |                                      |                                      |                                        |                                              | Yes                                                                                                                                                                          |                                                |                                       |
| Bimodal compatibility           | ReSound Vivia is not bimodally compatible. Cochlear and GN are actively working to deliver new state-of-the-art bimodal solutions to hearing care professionals and users through the Smart Hearing Alliance. |                                      |                                      |                                        | ReSound Enzo IA, ReSound Enzo Core and ReSound Savi are not bimodally compatible. Cochlear and GN are actively working to deliver new state-of-the-art bimodal solutions to hearing care professionals and users through the Smart Hearing Alliance. |                                      |                                      |                                        |                                              |                                                                                                                                                                              |                                                |                                       |






|  | Premium                                                                                                                                                                  |                                      |                                        |                                    | Advanced                                                                                                    |                                      |                                        |                                    |  |  | Advanced                                                                           |                                    |                                    |                                    | Essential                                                                           |                         |                                    |                                    |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------|------------------------------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------|----------------------------------------|------------------------------------|--|--|------------------------------------------------------------------------------------|------------------------------------|------------------------------------|------------------------------------|-------------------------------------------------------------------------------------|-------------------------|------------------------------------|------------------------------------|
|  | ReSound Nexia                                                                                                                                                            |                                      |                                        |                                    | ReSound OMNIA                                                                                               |                                      |                                        |                                    |  |  | ReSound LiNX Quattro and ReSound ENZO Q                                            |                                    |                                    |                                    | ReSound Key                                                                         |                         |                                    |                                    |
|  | NX9                                                                                                                                                                      | NX7                                  | NX5                                    | NX4                                | RU9                                                                                                         | RU7                                  | RU5                                    | RU4                                |  |  | RE9/EQ9                                                                            | RE7/EQ7                            | RE5/EQ5                            | EQ4                                | KE4                                                                                 | KE3                     | KE2                                | KE1                                |
|  | ★★★★                                                                                                                                                                     |                                      |                                        |                                    | ★★★★☆                                                                                                       |                                      |                                        |                                    |  |  | ★★★★☆                                                                              |                                    |                                    |                                    | ★★★☆☆                                                                               |                         |                                    |                                    |
|  | ★★★★<br>17                                                                                                                                                               | ★★★★☆<br>14                          | ★★★☆☆<br>12                            | ★★★☆☆<br>12                        | ★★★★<br>17                                                                                                  | ★★★★☆<br>14                          | ★★★☆☆<br>12                            | ★★★☆☆<br>12                        |  |  | ★★★★<br>17                                                                         | ★★★★☆<br>14                        | ★★★☆☆<br>12                        | ★★★☆☆<br>12                        | ★★★☆☆<br>12                                                                         | ★★★☆☆<br>8              | ★★★☆☆<br>6                         | ★★★☆☆<br>4                         |
|  | ★★★★<br>(Environmental Optimiser II)                                                                                                                                     | ★★★★☆<br>(Environmental Optimiser)   | ★★★☆☆<br>(Environmental Optimiser)     | –                                  | ★★★★<br>(Environmental Optimiser II)                                                                        | ★★★★☆<br>(Environmental Optimiser)   | ★★★☆☆<br>(Environmental Optimiser)     | –                                  |  |  | ★★★★<br>(Environmental Optimiser II)                                               | ★★★★☆<br>(Environmental Optimiser) | –                                  | –                                  | –                                                                                   | –                       | –                                  | –                                  |
|  | ★★★★<br>(360 All-Around)                                                                                                                                                 | ★★★★☆<br>(All Access Directionality) | ★★★☆☆<br>(Binaural Directionality III) | ★☆☆☆☆<br>(Binaural Directionality) | ★★★★<br>(360 All-Around)                                                                                    | ★★★★☆<br>(All Access Directionality) | ★★★☆☆<br>(Binaural Directionality III) | ★☆☆☆☆<br>(Binaural Directionality) |  |  | ★★★☆☆<br>(Binaural Directionality III)                                             | ★☆☆☆☆<br>(Binaural Directionality) | ★☆☆☆☆<br>(Natural Directionality)  | ★☆☆☆☆<br>(Natural Directionality)  | ★☆☆☆☆<br>(Natural Directionality)                                                   | ★☆☆☆☆<br>(Multiscope)   | ★☆☆☆☆<br>(Adaptive Directionality) | ★☆☆☆☆<br>(Adaptive Directionality) |
|  | ★★★★<br>(Front Focus)                                                                                                                                                    | ★★★★☆<br>(Ultra Focus)               | ★☆☆☆☆<br>(Adaptive Directionality)     | ★☆☆☆☆<br>(Adaptive Directionality) | ★★★★<br>(Front Focus)                                                                                       | ★★★★☆<br>(Ultra Focus)               | ★☆☆☆☆<br>(Adaptive Directionality)     | ★☆☆☆☆<br>(Adaptive Directionality) |  |  | ★☆☆☆☆<br>(Adaptive Directionality)                                                 | ★☆☆☆☆<br>(Adaptive Directionality) | ★☆☆☆☆<br>(Adaptive Directionality) | ★☆☆☆☆<br>(Adaptive Directionality) | –                                                                                   | –                       | –                                  | –                                  |
|  | ★★★★<br>(5 settings)                                                                                                                                                     | ★★★★☆<br>(3 settings)                | ★★★☆☆<br>(2 settings)                  | ★☆☆☆☆<br>(On / Off)                | ★★★★<br>(5 settings)                                                                                        | ★★★★☆<br>(3 settings)                | ★★★☆☆<br>(2 settings)                  | ★☆☆☆☆<br>(On / Off)                |  |  | ★★★★<br>(5 settings)                                                               | ★★★★☆<br>(3 settings)              | ★★★☆☆<br>(2 settings)              | ★☆☆☆☆<br>(On / Off)                | ★☆☆☆☆<br>(On / Off)                                                                 | ★☆☆☆☆<br>(On / Off)     | ★☆☆☆☆<br>(On / Off)                | ★☆☆☆☆<br>(On / Off)                |
|  | ★★★★<br>(3 settings)                                                                                                                                                     | ★★★★<br>(3 settings)                 | ★☆☆☆☆<br>(On / Off)                    | ★☆☆☆☆<br>(On / Off)                | ★★★★<br>(3 settings)                                                                                        | ★★★★<br>(3 settings)                 | ★☆☆☆☆<br>(On / Off)                    | ★☆☆☆☆<br>(On / Off)                |  |  | ★★★★<br>(3 settings)                                                               | ★★★★<br>(3 settings)               | ★★★☆☆<br>(On / Off)                | ★★★☆☆<br>(On / Off)                | ★★★☆☆<br>(On / Off)                                                                 | ★☆☆☆☆<br>(On / Off)     | –                                  | –                                  |
|  | ★★★★<br>(DFS Ultra III)                                                                                                                                                  | ★★★★<br>(DFS Ultra III)              | ★★★★<br>(DFS Ultra III)                | ★★★★<br>(DFS Ultra III)            | ★★★★<br>(DFS Ultra III)                                                                                     | ★★★★<br>(DFS Ultra III)              | ★★★★<br>(DFS Ultra III)                | ★★★★<br>(DFS Ultra III)            |  |  | ★★★☆☆<br>(DFS Ultra II)                                                            | ★★★☆☆<br>(DFS Ultra II)            | ★★★☆☆<br>(DFS Ultra II)            | ★★★☆☆<br>(DFS Ultra II)            | ★★★☆☆<br>(DFS Ultra II)                                                             | ★★★☆☆<br>(DFS Ultra II) | ★★★☆☆<br>(DFS Ultra II)            | ★★★☆☆<br>(DFS Ultra II)            |
|  | ★★★★<br>(3 settings)                                                                                                                                                     | ★★★★☆<br>(2 settings)                | ★☆☆☆☆<br>(On / Off)                    | ★☆☆☆☆<br>(On / Off)                | ★★★★<br>(3 settings)                                                                                        | ★★★★☆<br>(2 settings)                | ★☆☆☆☆<br>(On / Off)                    | ★☆☆☆☆<br>(On / Off)                |  |  | ★★★★☆<br>(3 settings)                                                              | ★★★☆☆<br>(2 settings)              | ★☆☆☆☆<br>(On / Off)                | ★☆☆☆☆<br>(On / Off)                | ★☆☆☆☆<br>(On / Off)                                                                 | ★☆☆☆☆<br>(On / Off)     | ★☆☆☆☆<br>(On / Off)                | ★☆☆☆☆<br>(On / Off)                |
|  | Yes                                                                                                                                                                      |                                      |                                        |                                    | Yes                                                                                                         |                                      |                                        |                                    |  |  | Yes                                                                                |                                    |                                    |                                    | N/A                                                                                 |                         |                                    |                                    |
|  | ★★★★                                                                                                                                                                     |                                      |                                        |                                    | ★★★★☆                                                                                                       |                                      |                                        |                                    |  |  | ★★★☆☆                                                                              |                                    |                                    |                                    | ★★★☆☆                                                                               |                         |                                    |                                    |
|  | ★★★★<br>Hands-free calls and direct streaming for iPhone and iPad<br>Connecting hands-free to compatible Bluetooth 5.3 or later devices, including select Android phones |                                      |                                        |                                    | ★★★★☆<br>Hands-free calls and direct streaming for iPhone and iPad.<br>Direct streaming for Android devices |                                      |                                        |                                    |  |  | ★☆☆☆☆<br>Direct streaming for iPhone, iPad and Android devices                     |                                    |                                    |                                    | ★☆☆☆☆<br>Direct streaming for iPhone, iPad and Android devices                      |                         | –                                  |                                    |
|  | ★★★★<br>Support Auracast for new broadcast opportunities, Telecoil built into select styles, as well as Multi-Mic and Multi-Mic+                                         |                                      |                                        |                                    | ★★★☆☆<br>Telecoil built into select styles, and Telecoil in Multi Mic                                       |                                      |                                        |                                    |  |  | ★★★☆☆<br>Telecoil built into select styles and in Multi Mic                        |                                    |                                    |                                    | ★★★☆☆<br>Telecoil built into select styles and in Multi Mic                         |                         |                                    |                                    |
|  | ★★★★<br>TV-Streamer+, TV Streamer 2, Multi-Mic+, Multi Mic, Micro Mic, Remote Control, ReSound Smart 3D App                                                              |                                      |                                        |                                    | ★★★★☆<br>TV Streamer 2, Multi Mic, Micro Mic, Remote Control, ReSound Smart 3D App                          |                                      |                                        |                                    |  |  | ★★★★☆<br>TV Streamer 2, Multi Mic, Micro Mic, Remote Control, ReSound Smart 3D App |                                    |                                    |                                    | ★★★★☆<br>TV Streamer 2, Multi Mic, Micro Mic, Remote Control, ReSound Smart 3D App* |                         |                                    |                                    |
|  | ★★★★                                                                                                                                                                     |                                      |                                        |                                    | ★★★★☆                                                                                                       |                                      |                                        |                                    |  |  | ★★★★☆                                                                              |                                    |                                    |                                    | ★★★★☆                                                                               |                         |                                    |                                    |
|  | N/A                                                                                                                                                                      |                                      |                                        |                                    | N/A                                                                                                         |                                      |                                        |                                    |  |  | N/A                                                                                |                                    |                                    |                                    | N/A                                                                                 |                         |                                    |                                    |
|  | ★★★★<br>(Only compatible with RIE and BTE styles)                                                                                                                        |                                      |                                        |                                    | N/A                                                                                                         |                                      |                                        |                                    |  |  | ★★★☆☆<br>(Cabled CROS option for BTE77, 88 and 98)                                 |                                    |                                    |                                    | ★★★☆☆<br>(Cabled CROS option for BTE77, 88 and 98)                                  |                         |                                    |                                    |
|  | 17                                                                                                                                                                       | 14                                   | 12                                     | 12                                 | 17                                                                                                          | 14                                   | 12                                     | 12                                 |  |  | 17                                                                                 | 14                                 | 12                                 | 12                                 | 12                                                                                  | 8                       | 6                                  | 4                                  |
|  | 4                                                                                                                                                                        |                                      |                                        |                                    | 4                                                                                                           |                                      |                                        |                                    |  |  | 4                                                                                  |                                    |                                    |                                    | 4                                                                                   | 4                       | 4                                  | 2                                  |
|  | Yes                                                                                                                                                                      |                                      |                                        |                                    | Yes                                                                                                         |                                      |                                        |                                    |  |  | Yes                                                                                |                                    |                                    |                                    | Yes                                                                                 |                         |                                    | No                                 |
|  | Yes                                                                                                                                                                      |                                      |                                        |                                    | Yes                                                                                                         |                                      |                                        |                                    |  |  | Yes                                                                                |                                    |                                    |                                    | Yes                                                                                 |                         |                                    |                                    |

\*KE1 only supports Remote Control and app.



# Nomenclature



## ReSound product family

|     |                        |
|-----|------------------------|
| VI* | Vivia                  |
| EI  | Enzo IA                |
| EC  | Enzo Core              |
| SA  | Savi                   |
| NX  | Nexia                  |
| CX  | Nexia CROS transmitter |
| RU  | OMNIA                  |
| RE  | LiNX Quattro           |
| EQ  | ENZO Q                 |
| KE  | Key                    |

## Technology level

|   |                                 |
|---|---------------------------------|
| 9 | Premium level technology        |
| 7 | Advanced level technology       |
| 5 | Select level technology         |
| 4 | Essential plus level technology |
| 3 | Essential level technology      |
| 2 | Entry level technology          |
| 1 | Entry level technology          |

## Form factors

### Receiver-in-ear

|     |                        |
|-----|------------------------|
| 60S | microRIE (Lithium-ion) |
| 60  | miniRIE (Lithium-ion)  |
| 61  | Standard RIE (312)     |
| 62  | Standard RIE (13)      |

### Customs

|     |                     |
|-----|---------------------|
| CIC | Completely-in-Canal |
| ITC | In-the-Canal        |
| ITE | In-the-Ear          |

### Behind-the-ear

|    |                 |
|----|-----------------|
| 67 | MiniBTE         |
| 71 | BTE             |
| 77 | Standard BTE    |
| 88 | Power BTE       |
| 88 | High Power BTE  |
| 98 | Super Power BTE |

## Additional

|   |                                     |
|---|-------------------------------------|
| D | Dual microphones                    |
| R | Receiver-in-Ear                     |
| W | Wireless                            |
| C | Rechargeable                        |
| T | Telecoil                            |
| H | High Power BTE<br>(with metal hook) |

## Receivers

|    |                                           |
|----|-------------------------------------------|
| LP | Low Power                                 |
| MP | Medium Power                              |
| HP | High Power                                |
| UP | Ultra Power (encased)                     |
| MM | M&RIE<br>(Microphone and receiver-in-ear) |

## Shells

|    |            |
|----|------------|
| FS | Full-shell |
| HS | Half-shell |

\* Available as microRIE CROS transmitter  
(VI160S-DRWC)

## Empowering people

ReSound, founded in 1984 and part of GN since 1999, is a world-leading brand for hearing solutions. We combine long-standing audiological expertise, hearing innovation, and human insight to help hearing experts provide leading hearing care and empowering people to hear their best.

Find out more on [gnhearing.com](https://gnhearing.com)

 [linkedin.com/company/resound](https://linkedin.com/company/resound)

 [facebook.com/resoundhearing](https://facebook.com/resoundhearing)

 [x.com/resoundglobal](https://x.com/resoundglobal)

## Worldwide Headquarters

GN Hearing A/S  
DK-2750 Ballerup  
Denmark  
Tel.: +45 4575 1111  
[gnhearing.com](https://gnhearing.com)

CVR no. 55082715

## United Kingdom

GN Hearing UK Ltd.  
Unit 13  
Talisman Business Centre  
Bicester  
Oxon OX26 6HR  
Tel: +44 1869 352800  
[gnhearing.com](https://gnhearing.com)

## Australia

GN Hearing Australia Pty Ltd  
Suite 1001, Level 1  
1 Julius Avenue  
North Ryde, NSW 2113  
Australia  
Tel: (free) 1800 658 955  
[gnhearing.com](https://gnhearing.com)